# ZEBRAT SUPPLIES ZIPSHIPSM

# MEDIA AND RIBBON PRICE LIST



#### Zebra Technologies International, LLC

333 Corporate Woods Parkway Vernon Hills, IL 60061-3109 U.S.A

T: +1 847 793 2600

+1 800 423 0442

F: +1 847 913 8766

www.zebra.com



Effective March 16, 2009



## **Table of Contents**

Media Overview	2-5
Tabletop Media	.6-15
Desktop Media	.16-23
Kiosk Media	24
Mobile Media	25-32
Wristband Media	33-37
Ribbon Overview	38-40
Tabletop Ribbons	41-47
Desktop Ribbons	48-5
Mobile Ribbons	52
Specialty Ribbons	53
Cleanroom Ribbons	54

For information on your printer media specifications, please refer to page 5. Stock - ships within one business day, Made to order - ships within 6 business days.



Genuine Zebra Supplies make a superior impression. Our media is specially engineered to optimize the performance of Zebra printers, which means less wear and tear on your printheads and reduced cost of maintenance. No single label or tag is right for every application. Whether you need labels for chemical drums or circuit boards, tickets for a shuttle bus, or labels that withstand chemicals and solvents, Zebra has the right media solution.

Zebra's Zip Ship stocking program includes popular sizes of the most frequently ordered media for Zebra thermal printers. This price list offers media for Zebra tabletop, desktop and mobile printers. Our policy is to ship "Stock" product Zip Ship orders within the next working business day. Products that are listed "MTO" are made-to-order and will be ready to ship within four working business days. Zebra also has hundreds of other media solutions to meet your unique applications.

There is a minimum invoice amount of \$50 per shipment destination (waived for Sample Program orders). Products purchased in less than full inner carton quantities are subject to a \$75 broken carton charge, per destination. The chart below highlights materials that are available in Zebra's Zip Ship program. For price quotations on custom sizes, materials or preprinting, please contact your Zebra Supplies Specialist.

#### **Product Descriptions**

#### Z-Select 4000T

A thermal transfer, bright white, coated, ultra-smooth, paper label with a permanent acrylic adhesive. Offers excellent adhesion on corrugated packaging. Specially coated for use with compatible Zebra Ribbons for superior durability and image quality. Recommended for a wide variety of applications, such as shipping, receiving, and work-in-process labels.

#### Z-Select 4000T All-Temp

A thermal transfer, bright white, coated, ultra-smooth, paper label with an all-temp permanent acrylic adhesive that allows label to be applied to surfaces as cold as -20° F. Offers excellent adhesion on corrugated packaging. Specially coated for use with compatible Zebra Ribbons for superior durability and image quality. Recommended for a wide variety of applications, such as shipping, receiving, and work-in-process labels.

#### Z-Select 4000D

A direct thermal, bright white, coated paper label for printing high-contrast, black, visible light images in cold temperature applications. It has a special acrylic-based cold temperature adhesive that survives at temperatures as low as -65° F and applied at temperatures as low as -20° F. Ideal for use with freezer-grade materials. Not recommended for applications involving exposure to sunlight or extreme heat.

#### Z-Select 4000T Removable

A bright white, thermal transfer paper label with a removable acrylic adhesive. Suggested applications include; general purpose product, bin, shelving, and food labeling; applications requiring clean removability of label, and labeling of corrugate, metal and glass.

#### Z-Select 4000D Removable

A bright white, direct thermal paper label with a removable acrylic adhesive. Suggested applications include; general purpose product, bin, shelving, and food labeling; applications requiring clean removability of label, and labeling of corrugate, metal and glass.

#### Z-Select 4000T 5.0 mil Tag

A thermal transfer, white, coated, 5.0 mil, white thermal transfer paper tag stock. Specially designed for use with compatible Zebra Ribbons to produce outstanding print quality. Recommended for use in retail and industrial applications, including price tags, shop floor tracking tags, and inventory control

#### Z-Select 4000T 7.0 mil Tag

A thermal transfer, white, coated, 7.0 mil, white thermal transfer paper tag stock. Specially designed for use with compatible Zebra Ribbons to produce outstanding print quality. Recommended for use in retail and industrial applications, including price tags, shop floor tracking tags, and inventory control.

#### Z-Select 4000D 7.5 mil Tag

A direct thermal, white, coaled, 7.5 mil, paper tag stock that produces high-quality black bar codes and human readable fonts. Suggested applications include: general purpose ticketing, shop floor tracking tickets, and retail hang tags.

#### Z-Select 4000D 3.2 mil Receipt

A direct thermal, white, coated, 3.2 mil receipt paper that provides an ideal solution for direct thermal paper applications requiring limited durability. Not recommended for applications involving exposure to sunlight or extreme heat.

#### Z-Select 3000D 2.3 mil Receipt

A direct thermal, white, uncoated 2.3 mil receipt paper with excellent resistance and archival properties. Ideal for direct thermal applications where image durability and maximum roll footage are important. Not recommended for extended exposure to sunlight or extreme heat.

#### Z-Perform 20001

A white, coated paper label offering excellent print quality for thermal transfer printing up to 8 inches per second. Permanent acrylic adhesive offers high initial tack and adhesion to corrugated surfaces. Recommended for a wide variety of applications, such as box, compliance, work-in-process and indirect food labeling.

#### Z-Perform 2000D

A white, coated direct thermal paper label ideal for printing applications up to 8 inches per second. An all-temp permanent acrylic adhesive that offers adhesion in a wide temperature range. Ideal for use in a variety of industrial applications. Not recommended for applications involving exposure to sunlight or extreme heat.

For information on your printer media specifications, please refer to page 5. Stock - ships within one business day, Made to order - ships within 6 business days.

Zip Ship - Page 2



#### Z-Perform 1000D

An uncoated, direct thermal, paper facestock with a permanent acrylic adhesive. Ideal for direct thermal paper applications that require limited durability. Suitable for use in a wide variety of industrial applications, especially shipping/mailing labels.

#### Z-Perform 1000T 7.5 mil Tag

A thermal transfer, white, uncoated, 7.5 mil, white paper tag stock for printing on Zebra desktop printers. Provides excellent ink receptivity. Specially designed for use with compatible Zebra Ribbons to produce outstanding print quality. Ideal for general purpose ticketing, shop floor tracking tickets, retail hang tags, and inventory control tags.

#### Z-Perform 1000D 2.4 mil Receipt

A direct thermal, white, uncoated, 2.4 mil paper receipt that provides an ideal solution for direct thermal paper applications requiring limited durability. Not recommended for applications involving exposure to sunlight or extreme heat.

#### 8000D Kiosk 3.4 mil Receipt

A direct thermal, white, uncoated, 3.4 mil paper receipt that provides excellent print quality for kiosk applications. Not recommended for applications involving exposure to sunlight or extreme heat.

#### 8000D Linerless

A 3 mil white direct thermal linerless label stock that produces high-quality black bar codes and human readable fonts. Features a permanent acrylic adhesive. Designed for linerless printer applications (more labels per roll and lower shipping costs), with specially formulated silicone coating for easy release.

#### 8000D Near IR

A coated, white, direct thermal, paper label stock that produces high-contrast black images with Zebra thermal printers. Images are scannable in both the visible and near-infrared ranges. Its permanent acrylic adhesive is excellent for adhering to a wide variety of surfaces. Not recommended for applications involving exposure to sunlight or extreme heat.

#### Z-Supreme 4000T

A white gloss, polymide label with a high-temp permanent acrylic adhesive that provides resistance to harsh environments up to 500°F. Recommended for printed circuit board (PCB) labeling.

#### Z-Ultimate 4000T High-Tack

A pearl white, gloss polyester thermal transfer label with a high-tack permanent acrylic adhesive. Ideal for applications that require outstanding print quality and unparalleled smear and scratch resistance. Top coating is suitable for fanfolding applications. UL recognized for indoor and outdoor use when used with compatible Zebra Resin Ribbons. Recommended for use in a wide variety of applications, including shelf or scan-pallet labels, water-immersed labels, or labels in contact with moving parts. Offers high resistance to chemicals and UV exposure.

#### Z-Ultimate 4000T

A pearl white, gloss polyester thermal transfer label with a high performance permanent acrylic adhesive. Ideal for applications that require outstanding print quality and unparalleled smear and scratch resistance. Top coating is suitable for fanfolding applications. UL recognized for indoor and outdoor use when used with compatible Zebra Resin Ribbons. Recommended for use in a wide variety of applications, including shelf or scan-pallet labels, water-immersed labels, or labels in contact with moving parts. Offers high resistance to chemicals and UV exposure.

#### Z-Ultimate 3000T

A pearl white, gloss polyester thermal transfer label with permanent acrylic adhesive. Ideal for applications that require outstanding print quality and unparalleled smear and scratch resistance. UL recognized for indoor and outdoor use when used with compatible Zebra Resin Ribbons. Recommended for use in a wide variety of applications, including shelf or scan-pallet labels, water-immersed labels, or labels in contact with moving parts. Offers high resistance to chemicals and UV exposure.

#### Z-Ultimate 2000T

A pearl white, gloss polyester thermal transfer label with a permanent acrylic adhesive. Ideal for applications that require outstanding print quality and unparalleled smear and scratch resistance. UL recognized for indoor and outdoor use when used with compatible Zebra Resin Ribbons. Top coating is suitable for fanfolding. Recommended for use in a wide variety of applications. Offers some resistance to chemicals and UV exposure.

#### PolyPro 4000T

A white, matte polypropylene thermal transfer label that produces high-quality black bar codes and human readable fonts when used with compatible Zebra ribbons. Compatible with a wide range of surfaces and temperature ranges. Features a high-performance permanent acrylic adhesive. Offers superior performance and is compatible with a wide variety of surfaces and temperature ranges.

#### PolyPro 3000T

A white, matte polypropylene thermal transfer label that produces high-quality black bar codes and human readable fonts when used with compatible Zebra ribbons. Features a high-performance permanent acrylic adhesive. Suggested applications include: chemical drum labeling, product labeling and retail applications.

For information on your printer media specifications, please refer to page 5. Stock - ships within one business day, Made to order - ships within 6 business days.



#### PolvPro 4000D

A white, matte direct thermal polypropylene label that produces high-quality black bar codes and human readable fonts with Zebra printers. Features a high-performance acrylic adhesive. Ideal for applications that require a durable moisture resistant label stock.

#### PolyPro 4000D 3.8 mil Receipt

A direct thermal, white, matte polypropylene 3.8 mil receipt. Provides excellent print quality and good scratch and smear resistance.

#### 8000T Tuff Tag

A thermal transfer, white, V-Max polyolefin 7.5 mil tag that provides tear strength and outdoor use up to 1-2 years. Offers good durability and chemical resistance.

#### 8000T Jewelry

A thermal transfer, white, polypropylene, label with a permanent acrylic adhesive. Offers excellent durability and chemical resistance. Suggested applications include; jewelry tags and ring labels.

#### 8000T Cling

A thermal transfer, cling vinyl material. Offers excellent adhesion to glass and plastics. Specially coated for use with compatible Zebra Ribbons for excellent durability and image quality. Recommended for a wide variety of applications, such as oil change and preventative maintenance. Available in white and clear.

#### 8000D Jewelry

A white, polypropylene, direct thermal label stock that produces high-contrast images with Zebra thermal printers. Provides excellent resistance to ultra violet light. Suggested applications include; jewelry tags and ring labels.

#### 8000D High-Temp 3.2 mil Receipt

A direct thermal, white, coated, 3.2 mil receipt paper that provides temperature resistance up to 194° F; offers superior durability under fluorescent bulbs and partial UV exposure (through a window).

#### Next Generation Z-Band® Direct Wristbands

Direct thermal white polypropylene wristband with a permanent acrylic adhesive paper tab for securement. Features our patent-pending antimicrobial coating, which test results show effectively protects the wristband against

S. aureus, P. aeruginosa, and E. coli. Also features tamper-evident slits. Available in several lengths and widths for adults, children and infants, as well as colors.

#### Z-Band QuickClip™ Wristbands

A 6.0 mil, white, coated, direct thermal, polypropylene tag stock. This material is converted into a direct thermal, bar code identification, clip wristband. Clips are available in multiple colors. The Z-Band QuickClip image is resistant to smear and abrasion as well as water, alcohol, mild cleaners, blood, etc.

#### Z-Band® 4000 Kit

A high-performance polyester, latex-free, thermal transfer wristband for printing quality text and bar codes. Prints images that resist smears and abrasion as well as water, alcohol, mild cleaners, and blood. A time-tested and proven performer for patient identification and patron management applications. A tamper-evident VOID version with adhesive closure available for applications in which security is a priority.

#### Infant Foam Wristband

A foam wristband that includes a "hook and loop" Velcro closure for comfort. These soft wristbands have a blank panel that allows you to attach our Infant Foam Wristband Label (Z-Select 4000D) for identification purposes.

#### Z-Slip

A direct thermal, coated, ultra-smooth paper and polypropylene combination label with a permanent acrylic adhesive. Offers excellent adhesion to corrugated packaging. Recommended for a wide variety of applications, for example, enclosing packing slips, invoices, material safety data sheets, and certificates of conformance.

#### 8000T Heat Seal Kit

A glossy, white, thermoplastic label with excellent smear/scratch resistance that can withstand heat up to 290° F. This kit comes with a specially matched resin ribbon that will survive 50 industrial bleach wash cycles.

#### Z-Xtreme 5000T Kit

A thermal transfer, coated label that is combined with the high-durability Image Lock™ resin ribbon. Made with a high-tack acrylic adhesive that will stay put on difficult-to-label surfaces, making it the right choice for the toughest and harshest applications.

For information on your printer media specifications, please refer to page 5. Stock - ships within one business day, Made to order - ships within 6 business days.



# **Printer Media Specifications**

		Core	Size	Max	OD	Min Label Width	'	Max Label V	Vidth*	Min Label	Caliper	Max Label	Caliper
	Printer	Inches	mm	Inches	mm	Inches	mm	Inches	mm	Inches	mm	Inches	mm
	S600™	3	76	8	203	0.75	19.0	4.50	114	0.0023	0.058	0.012	0.305
	S4M™	1/3	25/76	6/8	152/203	0.75	19.0	4.50	114	0.003	0.076	0.010	0.25
	Z4MPlus™	3	76	8	203	1.00	25.4	4.50	114	0.0023	0.058	0.010	0.25
8	Z6MPlus™	3	76	8	203	2.00	50.8	7.00	178	0.0023	0.058	0.010	0.25
Tabletop Printers	ZM400 ™	3	76	8	203	2.00	50.8	4.00	101.6	0.0023	0.058	0.010	0.25
- E	ZM600 ™	3	76	8	203	2.00	50.8	7.00	178	0.0023	0.058	0.010	0.25
क्र	105SL™	3	76	8	203	0.79	20.1	4.52	115	0.003	0.076	0.012	0.305
able	2746e™	3	76	8	203	1.12	28.6	4.50	114	0.003	0.076	0.010	0.25
Ľ	110XilliPlus™	3	76	8	203	0.79	20.1	4.50	114	0.003	0.076	0.012	0.305
	140XiIIIPlus™	3	76	8	203	1.57	39.9	5.51	140	0.003	0.076	0.012	0.305
	170XilliPlus™	3	76	8	203	2.00	50.8	7.10	180	0.003	0.076	0.012	0.305
	220XilliPlus™	3	76	8	203	4.25	108.0	8.80	224	0.003	0.076	0.012	0.305
	LP/TLP												
(0	2824™ Series	1/1.5	25/38	5	127	1.00	25.4	2.36	60	0.003	0.076	0.0075	0.191
Printers	LP/TLP			_	1-1-								
rin	2844™ Series	1/1.5	25/38	5	127	1.00	25.4	4.25	108	0.003	0.076	0.0075	0.191
	TLP 3842™	1	25.4	5	127	1.00	25.4	4.25	108	0.003	0.076	0.0075	0.191
Desktop	TLP 3844-Z™	1/1.5	25/38	5	127	1.00	25.4	4.25	108	0.003	0.076	0.0075	0.191
Sec	H 2824™	1/1.5	25/38	5	127	0.75	19.0	2.36	60	0.003	0.076	0.0075	0.191
	HC100 ™ G-Series™	n/a	n/a 25.4	n/a 5	n/a 127	0.75 0.75	19.0 19.0	2.36 4.25	60 108	0.003	0.076 0.076	0.0075 0.0075	0.191 0.191
	G-Series	1	20.4	5	127	0.75	19.0	4.20	106	0.003	0.076	0.0075	0.191
The state of the s	Cameo® 2	0.75	19	2.2	56	0.75	19.0	2.10	53.3	0.003	0.076	0.005	0.13
	Cameo® 3	0.75	19	2.2	56	0.75	19.0	3.10	78.7	0.003	0.076	0.005	0.13
	QL 220™	0.75	19	2.2	56	0.625	15.9	2.12	53.8	0.0025	0.064	0.0065	0.17
	QL 220 Plus ™	0.75	19	2.2	56	0.625	15.9	2.12	53,8	0.0025	0.064	0.0065	0.17
S	QL 320 Plus™	0.75	19	2.625	67	1.25	31.8	3.12	79.2	0.0025	0.064	0.0065	0.17
ıter	QL 420 Plus™	0.75 0.75	19 19	2.625	67	2.00	50.8	4.12	104.6 60	0.0025	0.064	0.0065	0.17
Mobile Printers	RW 220™ RW 420™	0.75	19	2.25 2.25	57 57	1.00 2.00	25.4 50.8	2.37 4.09	104.6	0.002	0.05 0.05	0.0063	0.16 0.16
<u>0</u>	P4T™	0.75	19	2.25	66	2.00	50.8	4.12	104.6	0.002	0.05	0.0063	0.16
90 <u>l</u>	EM220™	0.75	12.5	1.57	40	2.08	52.8	2.48	63	0.002	0.05	0.0003	0.063
2	PT403™	1	25	2.1	53	1.12	28.6	4.25	108	0.003	0.076	0.012	0.305
	PA403™	1	25	2.1	53	1.12	28.6	4.25	108	0.003	0.076	0.012	0.305
	PS2122™	1.5	38	5	127	1.00	25.4	2.36	60	0.003	0.076	0.0075	0.191
	MZ 220™	0.75	18	1.88	48	1.00	25.4	2.00	50.8	0.002	0.05	0.004	0.063
	MZ 320™	0.75	18	1.88	48	1.00	25.4	3.00	76.2	0.002	0.05	0.004	0.063
	R110Xi™	3	76	8	203	0.79	20.1	4.50	1 14	0.003	0.076	0.012	0.305
	R110Xi HF™	3	76	8	203	0.79	20.1	4.50	114	0.003	0.076	0.012	0.305
5,000	R170Xi™	3	76	8	203	2.00	50.8	7.10	180	0.003	0.076	0.012	0.305
ers	R110PAX3™	1	25	Varies	Varies	0.625	16.0	4.50	114	0.0058	0.148	0.010	0.254
Specialty Printers	R110PAX4™	3	76	Varies	Varies	0.625	16	4.50	1 14	0.0058	0.148	0.010	0.254
σ.	R2844-Z™	1/1.5	25/38	5	127	1.00	25.4	4.25	108	0.003	0.076	0.0075	0.178
alt	R4Mplus™	3	76 76	8	203	1.00	25.4	4.09	104	0.0023	0.058	0.010	0.025
beci	RZ400 RZ600	3	76 76	8	203 203	1.00	25.4 25.4	4.50 7.00	114 178	0.0023	0.058 0.058	0.010	0.025 0.025
S	110PAX4™	3	76 76	8 Varies	203 Varies	0.625	25.4 16	4.50	114	0.0023 0.0058	0.058	0. 010 0. 010	0.025
	170PAX4™	3	76	Varies	Varies	3	76.2	7.10	180	0.003	0.146	0.010	0.305
	RP4T™	1.375	34.9	2.6	66	2.00	50.8	4.12	104.6	0.003	0.076	0.0063	0.303
<b>A</b>	5-10 M						-2.0						

 $<sup>^{\</sup>ast}$  Note for tags and receipts add 0.125 to the printer Max Label Width.

Please contact you media specialist for specific questions regarding printers not listed above.

Kiosk printers include TTP 1000, 2000, 7000, & 8000 Series and TTP 5250.

Kiosk printers can accommodate various roll sizes and widths depending on the configuration. Please check printer specifications before ordering supplies.



# **Tabletop Printers**

#### Z-Perform 1000D

3" ID 8" OD

	Size						
Width	Х	Length	Part #	Labels Per Roll	Rolls Per Carton	Carton Weight	Stock MTO
3	Х	1	10000303*	5,500	6	26 lbs.	Stock
4	Х	3	10000302*	2,000	4	22 lbs.	Stock
4	Х	6	10000301*	1,000	4	26 lbs.	Stock
4	Х	6.50	10000300*	900	4	26 lbs.	Stock

<sup>\*</sup> Perforation between labels

### Z-Perform 2000D

	Size						
Width	X	Length	Part #	Labels Per Roll	Rolls Per Carton	Carton Weight	Stock MTO
2	Х	1	10000298*	5,500	8	26 lbs.	Stock
2.25	Х	1.25	10000297*	4,350	8	27 lbs.	Stock
3	Х	1	10000296*	5,500	6	26 lbs.	Stock
3	Х	2	10000295*	2,750	6	26 lbs.	Stock
4	Х	2.50	10000294*	2,280	4	25 lbs.	Stock
4	Х	3	10000293*	2,000	4	22 lbs.	Stock
4	Х	4	10000292*	1,500	4	27 lbs.	Stock
4	Х	6	10000291	1,000	4	26 lbs.	Stock
4	Х	6	10000290*	1,000	4	26 lbs.	Stock
4	Х	6.50	10000289*	900	4	26 lbs.	Stock

<sup>\*</sup> Perforation between labels



## **Tabletop Printers**

#### **Z-Perform 2000D Floodcoated**

3" ID 8" OD

	Size							
Width	X	Length	Part #	Color	Labels Per Roll	Rolls Per Carton	Carton Weight	Stock MTO
4	Х	6	10006206*	Yellow	1000	4	27 lbs.	Stock
4	Х	6	10006206-1*	Green	1000	4	27 lbs.	Stock
4	Х	6	10006206-2*	Org.	1000	4	27 lbs.	Stock
4	Х	6	10006206-3*	Red	1000	4	27 lbs.	Stock

<sup>\*</sup> Perforation between labels Colors/PMS: Yellow/Pantone Yellow, Green/ 365, Red/185, Orange/021

### **Z-Perform 2000T**

3" ID 8" OD

	Size						
Width	X	Length	Part #	Labels Per Roll	Rolls Per Carton	Carton Weight	Stock MTO
2	Х	1	10000288*	5,500	10	31 lbs.	Stock
3	Х	1	10000287*	5,500	6	27 lbs.	Stock
3	Х	2	10000286*	2,750	6	27 lbs.	Stock
4	Х	2	10000285*	2,750	4	23 lbs.	Stock
4	Х	3	10000284*	2,000	4	27 lbs.	Stock
4	Х	4	10000283*	1,500	4	24 lbs.	Stock
4	Х	6	10000282	1,000	4	27 lbs.	Stock
4	Х	6	10000281*	1,000	4	27 lbs.	Stock
4	Х	6.50	10000280*	900	4	27 lbs.	Stock

<sup>\*</sup> Perforation between labels

#### **Z-Perform 2000T Fanfolded**

	Size						
Width	X	Length	Part #	Labels Per Roll	Rolls Per Carton	Carton Weight	Stock MTO
4	Х	2	10006992*	3,000	4	14 lbs.	Stock
 4	Х	4	10005299*	1,599	2	13 lbs.	Stock
 4	Х	6	10000299*	2,000	2	26 lbs.	Stock
4	Х	6.5	10004991*	2,500	2	33 lbs.	Stock

<sup>\*</sup> Perforation between labels



## **Tabletop Printers**

#### **Z-Perform 2000T Floodcoated**

3" ID 8" OD

	Size							
Width	X	Length	Part #	Color	Labels Per Roll	Rolls Per Carton	Carton Weight	Stock MTO
4	Х	3	10006209-1*	Yellow	1,840	4	27 lbs.	Stock
4	Х	3	10006209-3*	Pink	1,840	4	27 lbs.	Stock
4	Х	3	10006209-4*	Org.	1,840	4	27 lbs.	Stock
4	Х	6	10006208*	Blue	1,000	4	27 lbs.	Stock
4	Х	6	10006208-1*	Yellow	1,000	4	27 lbs.	Stock
4	Х	6	10006208-2*	Green	1,000	4	27 lbs.	Stock
4	Х	6	10006208-3*	Pink	1,000	4	27 lbs.	Stock
4	Х	6	10006208-4*	Org.	1,000	4	27 lbs.	Stock
4	Х	6	10006208-5*	Red	1,000	4	27 lbs.	Stock
4	Х	6	10006208-6*	Fl. Pink	1,000	4	27 lbs.	Stock
4	Х	6	10006208-7*	Fl. Org.	1,000	4	27 lbs.	Stock
4	Х	6.5	10005725-1*	Yellow	900	4	27 lbs.	Stock

<sup>\*</sup> Perforation between labels

## Z-Perform 1000T 7.5 mil Tag

3" ID 8" OD

	Size						
Width	Х	Length	Part #	Tags Per Roll	Rolls Per Carton	Carton Weight	Stock MTO
 3	Х	1.25	67251*^	3,750	6	24 lbs.	Stock
3.25	Х	5	65156*	1,030	6	26 lbs.	Stock
6	Х	3	18504*	1,610	2	11 lbs.	Stock

All tags contain side sensing notch. ^ Contains a left-centered hole and right vertical perforation \*Perforation between tags 3" ID 8" OD

	Size						
Width	х	Length	Part #	Tags Per Roll	Rolls Per Carton	Carton Weight	Stock MTO
3.25	Х	7.38	67850*	860	4	25 lbs.	Stock

Fanfold and side sensing notch \*Perforation between tags

Colors/PMS: Fluorescent Red/805, Fluorescent Orange/804, Fluorescent Pink/806, Blue/290, Yellow/Pantone Yellow, Green/365, Red/185, Pink/1767, Orange/021



# **Tabletop Printers**

#### Z-Select 4000D

	Size						
Width	X	Length	Part #	Labels Per Roll	Rolls Per Carton	Carton Weight	Stock MTO
1.50	Х	1	88686	5,120	14	29 lbs.	Stock
2	Х	1	72275	4,620	8	22 lbs.	Stock
2.25	Х	1.25	72276	3,770	8	24 lbs.	Stock
2.25	Х	1.25	10002635*	3,770	8	16 lbs.	Stock
2.25	Х	2.50	72277	1,980	8	24 lbs.	Stock
2.25	Х	4	72278	1,260	8	25 lbs.	Stock
3	Х	1	74569	5,120	6	24 lbs.	Stock
3	Х	2	98958*	2,710	6	26 lbs.	Stock
3	Х	3	84086	1,840	6	27 lbs.	Stock
3.50	Х	1	75856	5,120	6	29 lbs.	Stock
4	Х	1.50	800740-155*	4,225	4	25 lbs.	Stock
4	Х	2.50	72344	2,220	4	24 lbs.	Stock
4	Х	3	800740-305*	2,238	4	25 lbs.	Stock
4	Х	4	82801	1,400	4	25 lbs.	Stock
4	Х	6	72345	950	4	25 lbs.	Stock
4	Х	6	98959*	940	4	23 lbs.	Stock
4	Х	6	83398**	720	6	28 lbs.	Stock
4	Х	6.50	117945	870	4	25 lbs.	Stock

<sup>\*</sup> Perforation between labels \*\*



# **Tabletop Printers**

#### **Z-Select 4000T**

3" ID 8" OD

	Cina						
Width	Size x	Length	Part #	Labels Per Roll	Rolls Per Carton	Carton Weight	Stock MTO
1.50	Х	1	72280	5,180	14	30 lbs.	Stock
2	Х	1	72281	5,180	10	29 lbs.	Stock
2.25	Х	0.75	800622-075*	7,995	4	14 lbs.	Stock
2.25	Х	1.25	800622-125*	5,087	4	16 lbs.	Stock
2.25	Х	1.25	72283	4,240	8	26 lbs.	Stock
2.25	Х	2	800622-205*	3,292	4	16 lbs.	Stock
2.75	Х	1.25	72282	4,240	8	31 lbs.	Stock
3	Х	1	72284	5,180	6	25 lbs.	Stock
3	Х	2	72285	2,740	6	27 lbs.	Stock
3	Х	5	72993	1,100	6	28 lbs.	Stock
3	Х	6	81397*	910	6	26 lbs.	Stock
3.25	Х	2	72974	2,700	6	30 lbs.	Stock
3.25	Х	5.50	72286	1,040	6	30 lbs.	Stock
3.25	Х	5,831	72287	Cont.	6	35 lbs.	Stock
3.50	Х	1	72288	5,180	6	28 lbs.	Stock
4	Х	1	92071*	4,970	4	23 lbs.	Stock
4	Х	1.50	800640-155*	4,225	4	26 lbs.	Stock
4	Х	2	72289	2,740	4	23 lbs.	Stock
4	Х	2.50	94681*	2,130	4	23 lbs.	Stock
4	Х	2.50	72290	2,220	4	25 lbs.	Stock
4	Х	3	72291	1,870	4	25 lbs.	Stock
4	Х	3	800640-305*	2,238	4	25 lbs.	Stock
4	Х	4	800640-405*	1,696	4	26 lbs.	Stock
4	Х	4	72292	1,410	4	23 lbs.	Stock
4	Х	5	800640-505*	1,365	4	26 lbs.	Stock
4	Х	6	72353	950	4	26 lbs.	Stock
4	Х	6	72295**	900	6	35 lbs.	Stock
4	Х	6	72294*	950	4	26 lbs.	Stock
4	Х	6.50	73298*	840	4	25 lbs.	Stock
4	Х	6.50	72296	880	4	26 lbs.	Stock
4	Х	8	98963*	690	4	23 lbs.	Stock
4	Х	10	94682*	550	4	23 lbs.	Stock
4	Х	13	72297	440	4	25 lbs.	Stock
4	Х	5,592	98962	Cont.	4	23 lbs.	Stock
5	Х	2.50	72298	2,220	4	30 lbs.	Stock
5	Х	6	72301	960	4	31 lbs.	Stock
5	Х	5,831	72300	Cont.	4	32 lbs.	Stock
6	Х	4	72354	1,410	2	18 lbs.	Stock
6	X	4	73909*	1,360	2	17 lbs.	Stock
6	Х	8	94683*	690	2	17 lbs.	Stock
6.50	Х	4	72302	1,410	2	18 lbs.	Stock
0.00	^		1 2002	1,110		10 100.	CLOCK

<sup>\*</sup> Perforation between labels \*\* Fanfold

For information on your printer media specifications, please refer to page 5. Stock - ships within one business day, Made to order - ships within 6 business days.



# **Tabletop Printers**

#### **Z-Select 4000T Removable**

3" ID 8" OD

	Size						
Width	Х	Length	Part #	Labels Per Roll	Rolls Per Carton	Carton Weight	Stock MTO
4	Х	6	10005486*	1000	4	27 lbs.	Stock

<sup>\*</sup> Perforation between labels

## Z-Select 4000T 7.0 mil Tag

3"ID 8"OD

	Size						
Width	X	Length	Part #	Labels Per Roll	Rolls Per Carton	Carton Weight	Stock MTO
4	Х	6	72352*	860	4	22 lbs.	Stock

Tags have side sensing notch. \* Perforation between tags.

## **Z-Select 4000T All-Temp**

	Size						
Width	X	Length	Part #	Labels Per Roll	Rolls Per Carton	Carton Weight	Stock MTO
2	Х	5.50	72305	1,050	10	31 lbs.	Stock
2.75	Х	1.25	72369	4,240	8	32 lbs.	Stock
3	Х	5	97477*	1,100	6	26 lbs.	Stock
3.25	Х	5.50	72371	1,040	6	32 lbs.	Stock
3.25	Х	5,831	72372	Cont.	6	35 lbs.	Stock
3.50	Х	1	72373	5,180	6	30 lbs.	Stock
4	Χ	2.50	72374	2,220	4	25 lbs.	Stock
4	Х	6	72377	950	4	25 lbs.	Stock
4	Х	6	72376*	950	4	25 lbs.	Stock
4	Х	6.50	72378	880	4	25 lbs.	Stock
5	Х	3	94684*	1,760	4	28 lbs.	Stock

<sup>\*</sup> Perforation between labels



# **Tabletop Printers**

#### **Z-Ultimate 2000T White**

3" ID 8" OD

	Size						
Width	X	Length	Part #	Labels Per Roll	Rolls Per Carton	Carton Weight	Stock MTO
1	Х	0.5	10008510*	9,420	4	9 lbs.	Stock
1.5	Х	0.5	10008511*	9,420	4	9 lbs.	Stock
 2	Х	1	10008512*	5,570	4	12 lbs.	Stock
 2	Х	1.25	10002632*	4,270	10	32 lbs.	Stock
2.75	Х	1.25	10008513*	4,270	4	16 lbs.	Stock
3	Х	1	10002633*	5,240	6	30 lbs.	Stock
3	Х	2	10008514*	2,950	4	20 lbs.	Stock
3	Х	3	10008515*	1,880	4	20 lbs.	Stock
 4	Х	2	10002634*	2,950	4	32 lbs.	Stock
4	Х	2.5	10008516*	2,240	4	32 lbs.	Stock
4	Х	4	10008517*	1,520	4	32 lbs.	Stock
4	Х	6	10008518*	960	4	32 lbs.	Stock

<sup>\*</sup> Perforation between labels

### **Z-Ultimate 3000T White**

	Size						
Width	Х	Length	Part #	Labels Per Roll	Rolls Per Carton	Carton Weight	Stock MTO
1.25	Х	0.25	65588	15,710	16	29 lbs.	Stock
1.50	Х	0.50	65590	9,420	14	32 lbs.	Stock
1.75	Х	0.75	18180*	7,160	12	37 lbs.	Stock
2	Х	0.375	83312	10,000	10	25 lbs.	Stock
2	Х	0.50	83311	10,000	10	32 lbs.	Stock
2	Х	1	17156*	5,570	8	32 lbs.	Stock
2	Х	1.25	65585	4,270	10	32 lbs.	Stock
2	Х	4	68431	1,570	10	32 lbs.	Stock
2.50	Х	0.50	94686*	10,020	8	32 lbs.	Stock
2.75	Х	1.25	65587	4,270	8	34 lbs.	Stock
3	Х	1	65677	5,240	6	30 lbs.	Stock
3	Х	2	94982*	2,950	6	30 lbs.	Stock
3	Х	3	65586	1,880	6	29 lbs.	Stock
3.50	Х	1	94687*	5,570	6	42 lbs.	Stock
4	Х	2	18951*	2,950	4	32 lbs.	Stock
4	Х	2.50	65816	2,240	4	32 lbs.	Stock
4	х	4	94688*	1,520	4	32 lbs.	Stock
4	Х	6	66458	960	4	32 lbs.	Stock

<sup>\*</sup> Perforation between labels



# **Tabletop Printers**

#### **Z-Ultimate 4000T White**

3" ID 8" OD

	Size						
Width	x	Length	Part #	Labels Per Roll	Rolls Per Carton	Carton Weight	Stock MTO
1.50	Х	0.50	10002621*	9,420	8	18 lbs.	Stock
2	Х	0.50	10002622*	10,000	10	32 lbs.	Stock
2	Χ	1	10002623*	5,570	10	32 lbs.	Stock
2	Х	1.25	10002624*	4,270	10	32 lbs.	Stock
3	Х	1	10002625*	5,240	6	30 lbs.	Stock
3	Х	3	10002626*	1,880	6	29 lbs.	Stock
4	Х	2.50	10002627*	2,240	4	32 lbs.	Stock
4	Х	6	10002628*	960	4	32 lbs.	Stock

<sup>\*</sup> Perforation between labels

## **Z-Ultimate 4000T High Tack White**

3" ID 8" OD

	Size						
Width	Х	Length	Part #	Labels Per Roll	Rolls Per Carton	Carton Weight	Stock MTO
2	Х	1	10008521*	4,300	4	12 lbs.	Stock
3	Х	2	10008520*	2,280	4	20 lbs.	Stock
4	Х	6	10008519*	790	4	32 lbs.	Stock

<sup>\*</sup> Perforation between labels

## **Z-Supreme 4000T White**

	Size						
Width	Х	Length	Part #	Labels Per Roll	Rolls Per Carton	Carton Weight	Stock MTO
0.75	Х	0.25	10008527*	12,740	1	2 lbs.	Stock
1.25	Х	0.25	10008528*	12,740	1	2 lbs.	Stock
1.50	Х	0.25	10008529*	12,740	1	2 lbs.	Stock

<sup>\*</sup> Perforation between labels



# **Tabletop Printers**

## PolyPro 4000T

3" ID 8" OD

	Size						
Width	X	Length	Part #	Labels Per Roll	Rolls Per Carton	Carton Weight	Stock MTO
2	Х	1	17155*	4,680	8	22 lbs.	Stock
2.75	Х	1.25	66884	3,970	4	34 lbs.	Stock
3	X	1	05265	4,350	6	32 lbs.	Stock
3	Х	2	66886	2,230	6	30 lbs.	Stock
3.25	Х	5.50	66885	870	6	32 lbs.	Stock
4	Х	3	10008531*	1,420	4	32 lbs.	Stock
4	Х	6	10008530*	720	4	32 lbs.	Stock
5	Х	8	18801*	650	4	27 lbs.	Stock

<sup>\*</sup> Perforation between labels

## 8000T Tuff 7.0 mil Tag

## Nursery Tags

3" ID 8" OD

		Size						
	Width	X	Length	Part #	Labels Per Roll	Rolls Per Carton	Carton Weight	Stock MTO
<u> </u>	1	Х	10	69531*	1,920	4	21 lbs.	Stock

<sup>\*</sup> Perforation between tags (4 across)

### **Z-Slip**

	Size						
Width	х	Length	Part #	Labels Per Roll	Rolls Per Carton	Carton Weight	Stock MTO
6.625	Х	6	10004425*	660	2	20 lbs.	Stock

<sup>\*</sup> Perforation between labels



## **Tabletop Printers**

#### 8000T Heat Seal Kit

3" ID 8" OD

Width	Х	Length	Part #	Labels Per Roll	Rolls Per Carton	Stock MTO
2.5	Х	0.75	10002539*	4800	3	MTO
3.25	Х	1.125	10002540*	3200	3	MTO

<sup>\*</sup> Labels have perforations and sensing notches. Kit includes 3 rolls of labels and 1 resin ribbon roll Note: Minimum Order – 1 kit

## Z-Xtreme 5000T Kit

3" ID 8" OD

Width x	Length	Part #	Labels Per Roll	Rolls Per Carton	Stock MTO
0.9063 x	0.75	10007911K	5840	2	Stock

Kit includes 2 rolls of labels and 1 roll of Image Lock Ribbon Note: Minimum Order – 1 kit



# **Desktop Printers**

#### **Z-Perform 2000D**

1" ID 5" OD

	Size						
Width	Х	Length	Part #	Labels Per Roll	Rolls Per Carton	Carton Weight	Stock MTO
2	Х	1	10010028*	2,340	6	10 lbs.	Stock
3	Х	2	10010029*	1,240	6	11 lbs.	Stock
3	Х	3	10010030*	840	6	11 lbs.	Stock
4	Х	2	10010031*	1,240	6	12 lbs.	Stock
4	Х	3	10010032*	840	6	12 lbs.	Stock
4	Х	4	10010033*	640	6	12 lbs.	Stock
4	Х	6	10010034*	430	6	12 lbs.	Stock

<sup>\*</sup> Perforation between labels

#### **Z-Perform 2000D Floodcoated**

1" ID 5" OD

	Size							
Width	Х	Length	Part #	Color	Labels Per Roll	Rolls Per Carton	Carton Weight	Stock MTO
4	Х	6	10010035*	Yellow	430	6	12 lbs.	Stock
4	Х	6	10010035-1*	Green	430	6	12 lbs.	Stock
4	Х	6	10010035-2*	Org.	430	6	12 lbs.	Stock
4	Х	6	10010035-3*	Red	430	6	12 lbs.	Stock

<sup>\*</sup> Perforation between labels Colors/PMS: Yellow/Pantone Yellow, Green/365, Red/185, Orange/021

#### **Z-Perform 2000T**

	Size						
Width	Х	Length	Part #	Labels Per Roll	Rolls Per Carton	Carton Weight	Stock MTO
2	Х	1	10005850*	2,490	6	6 lbs.	Stock
4	Х	2	10005851*	1,320	6	15 lbs.	Stock
4	Х	3	10005852*	890	6	15 lbs.	Stock
4	Х	6	10005853*	460	6	15 lbs.	Stock

<sup>\*</sup> Perforation between labels



# **Desktop Printers**

#### Z-Select 4000D

1" ID 5" OD

	Size						
Width	X	Length	Part #	Labels Per Roll	Rolls Per Carton	Carton Weight	Stock MTO
1	Х	3	10010036*	840	6	6 lbs.	Stock
1.20	Х	0.85	10010037*	2,710	6	6 lbs.	Stock
1.25	Х	1	10010038*	2,340	6	6 lbs.	Stock
2	Х	1	10010039*	2,340	4	6 lbs.	Stock
2.25	Х	0.50	10010040*	4,200	4	6 lbs.	Stock
2.25	Х	0.75	800262-075*	3,315	12	20 lbs.	Stock
2.25	Х	1.25	800262-125*	2,100	12	20 lbs.	Stock
2.25	Х	2	800262-205*	1,370	12	20 lbs.	Stock
2.25	Х	2.50	10010041*	1,000	4	6 lbs.	Stock
2.25	Х	3	10010042*	840	6	10 lbs.	Stock
2.25	Х	4	800262-405*	700	12	20 lbs.	Stock
3	Х	1	10010043*	2,340	6	11 lbs.	Stock
3	X	2	10010044*	1,240	6	11 lbs.	Stock
4	Х	1	10010045*	2,340	6	12 lbs.	Stock
4	Х	1.25	800264-125*	2,100	12	28 lbs.	Stock
4	Х	1.50	10010046*	1,620	6	12 lbs.	Stock
4	Х	2	10010047*	1,240	6	12 lbs.	Stock
4	Х	2.50	10010048*	1,000	6	12 lbs.	Stock
4	Х	3	800264-305*	930	12	30 lbs.	Stock
4	Х	4	800264-405*	700	12	30 lbs.	Stock
4	Х	5	800264-505*	565	12	30 lbs.	Stock
4	Х	6	10010049	475	6	15 lbs.	Stock
4	Х	6	800264-605*	475	12	30 lbs.	Stock

<sup>\*</sup> Perforation between labels

	Size						
Width	X	Length	Part #	Labels Per Roll	Rolls Per Carton	Carton Weight	Stock MTO
2.38	Х	1	10010050*	2,340	6	10 lbs.	Stock

Labels have a center vertical slit creating two 1.1875" x 1.00" labels. \* Perforation between labels

	Size						
Width	х	Length	Part #	Labels Per Roll	Rolls Per Carton	Carton Weight	Stock MTO
2.25	Х	1.25	10010051*	1,910	6	10 lbs.	Stock

Labels have a center vertical slit creating two 1.125" x 1.25" labels. \* Perforation between labels

#### **Z-Select 4000D Removable**

1" ID 5" OD

	Size						
Width	х	Length	Part #	Labels Per Roll	Rolls Per Carton	Carton Weight	Stock MTO
2.375	Х	1	10010052*	2,260	6	6 lbs.	Stock

Labels have a center vertical slit creating two 1.1875" x 1.00" labels. \* Perforation between labels

For information on your printer media specifications, please refer to page 5. Stock - ships within one business day, Made to order - ships within 6 business days.

Zip Ship - Page 17



## **Desktop Printers**

#### Z-Select 4000T

1" ID 5" OD

	Size						
Width	x	Length	Part #	Labels Per Roll	Rolls Per Carton	Carton Weight	Stock MTO
1.1875	Х	0.84	10009522*	3,000	6	6 lbs.	Stock
1.25	Х	1	10009523*	2,580	6	10 lbs.	Stock
1.5	Х	1	83258*	2,260	8	8 lbs.	Stock
2	Х	1	83259*	2,260	8	8 lbs.	Stock
2.25	Х	0.75	10009524*	3,320	6	10 lbs.	Stock
2.25	Х	1.25	800272-125*	2,100	12	10 lbs.	Stock
2.25	Х	2	10009525*	1370	6	11 lbs.	Stock
2.25	Х	3	10009526*	930	6	12 lbs.	Stock
2.25	Х	4	10009527*	700	6	13 lbs.	Stock
2.75	Х	1.25	83260*	1,850	4	7 lbs	Stock
3	Х	1	10009528*	2,580	6	8 lbs.	Stock
3	Х	2	10009529*	1,370	6	15 lbs.	Stock
4	Х	1	83340*	2,260	4	8 lbs.	Stock
4	Х	1.50	800274-155*	1,790	12	30 lbs.	Stock
4	Х	2	10009530*	1,370	6	15 lbs.	Stock
4	Х	3	800274-305*	930	12	15 lbs.	Stock
4	Х	3	83262	810	4	9 lbs.	Stock
4	Х	4	800274-405*	700	12	15 lbs.	Stock
4	Х	5	10009531*	570	6	15 lbs.	Stock
4	Х	6	82868	420	4	15 lbs.	Stock
4	Х	6	800274-605*	475	12	15 lbs.	Stock
4	Х	6.50	83257*	380	4	15 lbs.	Stock

<sup>\*</sup> Perforation between labels

	Size						
Width	Х	Length	Part #	Labels Per Roll	Rolls Per Carton	Carton Weight	Stock MTO
2.38	Х	1	10005848*	2,580	6	5 lbs.	Stock

Labels have a center vertical slit creating two 1.1875" x 1.00" labels.

#### **Z-Select 4000T Removable**

	S	ize					
Width	Х	Length	Part #	Labels Per Roll	Rolls Per Carton	Carton Weight	Stock MTO
4	Х	6	10005849*	430	6	15 lbs.	Stock

<sup>\*</sup> Perforation between labels

<sup>\*</sup> Perforation between labels



## **Desktop Printers**

## Z-Select 4000D 7.5 mil Tag

1" ID 5" OD

	Size						
Width	X	Length	Part #	Tags Per Roll	Rolls Per Carton	Carton Weight	Stock MTO
1.25	Х	2.25	10010053*^	980	6	4 lbs.	Stock
2.25	Х	1.37	10010054*^	1,600	6	6 lbs.	Stock
3.25	Х	1.875	10010055*	1,170	6	8 lbs.	Stock
4	Х	3	10010056*	730	4	10 lbs.	Stock

All tags have a sensing notch ^ Stringhole in tag \* Perforation between labels

## Z-Perform 1000D 2.4 mil Receipt

Width	Х	Length	Part #	Length	Rolls Per Carton	Carton Weight	Stock MTO
2	Х	Cont.	10010057	574'	6	18 lbs.	Stock
4	Х	Cont.	10010058	574'	6	20 lbs.	Stock



# **Desktop Printers**

#### **Z-Ultimate 3000T White**

1" ID 5" OD

	Size						
Width	X	Length	Part #	Labels Per Roll	Rolls Per Carton	Carton Weight	Stock MTO
2	Х	0.50	18943*	4,550	8	20 lbs.	Stock
2	Х	1	17157*	2,530	12	20 lbs.	Stock
2	Х	1.25	18940*	2,070	8	12 lbs.	Stock
3	Х	1	18939*	2,530	8	12 lbs.	Stock
3	Х	3	18942*	910	8	13 lbs.	Stock
4	X	2	18950*	1,340	4	15 lbs.	Stock
4	Х	6	18941*	460	4	15 lbs.	Stock

<sup>\*</sup> Perforation between labels

## **Z-Ultimate 4000T White**

	Size						
Width	Х	Length	Part #	Labels Per Roll	Rolls Per Carton	Carton Weight	Stock MTO
2	Х	1	10002629*	2,530	8	20 lbs.	Stock
3	Х	1	10002630*	2530	6	12 lbs.	Stock
4	Х	2	10002631*	1340	4	15 lbs.	Stock

<sup>\*</sup> Perforation between labels



# **Desktop Printers**

## PolyPro 3000T

1" ID 5" OD

	Size						
Width	X	Length	Part #	Labels Per Roll	Rolls Per Carton	Carton Weight	Stock MTO
1.50	Х	0.50	18930*	3,780	8	12 lbs.	Stock
2	Х	0.50	18928*	3,780	8	12 lbs.	Stock
2	Х	1	17154*	2,100	8	12 lbs.	Stock
2	Х	1.25	18925*	1,720	8	12 lbs.	Stock
3	Х	1	18924*	2,100	8	12 lbs.	Stock
3	Х	3	18927*	760	8	13 lbs.	Stock
4	Х	2	18932*	1,110	4	13 lbs.	Stock
4	Х	2.50	18929*	900	4	13 lbs.	Stock
4	Х	6	18926*	390	4	13 lbs.	Stock

<sup>\*</sup> Perforation between labels

## PolyPro 4000D

Jewelry Butterfly Label

1" ID 5" OD

	Size						
Width	X	Length	Part #	Labels Per Roll	Rolls Per Carton	Carton Weight	Stock MTO
2.20	Х	0.50	10010062^	4,400	6	11 lbs.	Stock

<sup>^</sup>Label has flaps

## PolyPro 4000D

1" ID 5" OD

	Size						
Width	х	Length	Part #	Labels Per Roll	Rolls Per Carton	Carton Weight	Stock MTO
2.25	Х	1.25	10010063*	2,000	6	11 lbs.	Stock

<sup>\*</sup> Perforation between labels

#### 8000D Near-IR

Parcel Shipping Label

1" ID 5" OD

	Size						
Width	X	Length	Part #	Labels Per Roll	Rolls Per Carton	Carton Weight	Stock MTO
4	Х	2.25	10010059*	1,060	4	10 lbs.	Stock
4	Х	6	10010060*	410	4	10 lbs.	Stock
4	Х	8	10010061*	310	4	10 lbs.	Stock
	40 00						

<sup>\*</sup> Perforation between labels

For information on your printer media specifications, please refer to page 5. Stock - ships within one business day, Made to order - ships within 6 business days.



## **Desktop Printers**

#### 8000D Linerless

1"ID 2"OD

	Size						
Width	х	Length	Part #	Length	Rolls Per Carton	Carton Weight	Stock MTO
2	Х	Cont.	800321-001	40'	12	4 lbs.	Stock
4	Х	Cont.	800399-004	40'	12	5 lbs.	Stock

## 8000D Jewelry

Jewelry Butterfly Label

1" ID 5" OD

	Size						
Width	Х	Length	Part #	Labels Per Roll	Rolls Per Carton	Carton Weight	Stock MTO
2.20	Х	0.50	10010064	3,510	6	11 lbs.	Stock
2.20	Х	0.50	10010065^	3,510	6	12 lbs.	Stock

<sup>^</sup> Label has flaps

## **8000T Jewelry**

Jewelry Butterfly Label

Width	Size x	Length	Part #	Labels Per Roll	Rolls Per Carton	Carton Weight	Stock MTO
2.20	Х	0.50	10010066	3,510	6	12 lbs.	Stock
2.20	Х	0.50	10010067^	3,510	6	12 lbs.	Stock

Labels are equipped with black mark sensing.

A Label with flaps.



## **Desktop Printers**

## **8000T Cling Clear**

1" ID 5" OD

	Size						
Width	х	Length	Part #	Labels Per Roll	Rolls Per Carton	Carton Weight	Stock MTO
2	Х	1.25	10003864*	1410	8	10 lbs.	Stock

Labels are equipped with black mark sensing \* Perforation between labels

## **8000T Cling White**

	Size						
Width	X	Length	Part #	Labels Per Roll	Rolls Per Carton	Carton Weight	Stock MTO
2	Х	1.25	10003860*	1,410	8	10 lbs.	Stock

<sup>\*</sup> Perforation between labels



## **Kiosk Printers**

## 8000D Kiosk 3.4 mil Receipt

To be used with TTP 1000 & 2000 Series

		Size						
٧	Vidth	Х	Length	Part #	Length	Rolls Per Carton	Carton Weight	Stock MTO
2	.281	Х	Cont.	10007007	645'	8	17 lbs.	Stock

### To be used with TTP 2000, 5250 & 7000 Series

	Size						
Width	X	Length	Part #	Length	Rolls Per Carton	Carton Weight	Stock MTO
3.1406	Х	Cont.	10007008	645'	8	23 lbs.	Stock

## To be used with TTP 5250 & 7000 Series

	Size						
Width	X	Length	Part #	Length	Rolls Per Carton	Carton Weight	Stock MTO
4.4063	Х	Cont.	10007009	645'	8	32 lbs.	Stock

### To be used with TTP 8000 Series

	Size						
Width	X	Length	Part #	Length	Rolls Per Carton	Carton Weight	Stock MTO
8.5	Х	Cont.	10007010	565'	4	28 lbs.	Stock



## Mobile Media Reference Guide

This Reference Guide is designed to easily locate the proper media for your printer and application. Further details, including pricing, for each part number are available on the following pages.

	Description	Part Number	Width	Length	Cameo 2	Cameo 3	EM 220	MZ 220	MZ 320	P4T	PA/PT	QL 220	QL 320	QL 420	RW220	RW420
	Z-Perform 1000D	LD-R7MU5P	2.00"	1.00"								$\checkmark$	•	•	<b>✓</b>	•
	Z-Perform 1000D	LD-R2AL5B	2.00"	1.25"						•		$\checkmark$	•	•	<b>\</b>	•
	Z-Perform 1000D	LD-R7AO5B	2.00"	2.00"						•		✓	•	•	$\checkmark$	•
	Z-Perform 1000D	LD-R7AM5R	2.00"	3.00"						•		<b>√</b>	•	•	<b>✓</b>	•
	Z-Perform 1000D	LD-R3TU5B	2.90"	1.00"									<b>√</b>	•		
sels	Z-Perform 1000D	LD-R2AQ5J	4.00"	2.00"						<b>√</b>				<b>√</b>		
Direct Thermal Labels	Z-Perform 1000D	LD-R6AO5B	4.00"	3.00"						<b>√</b>				<b>√</b>		
mal	Z-Perform 1000D	LD-R3AK5B	4.00"	4.00"						$\checkmark$				$\checkmark$		
her	Z-Perform 1000D	LD-R4AW5B	4.00"	6.00"						<b>√</b>				<b>√</b>		
ctT	Z-Perform 2000D	LD-R6AD5W	2.9375"	4.9375"						•			<b>√</b>	•		
Dire	Z-Perform 2000D	LD-R3AT5F	3.00"	1.75"						•			<b>✓</b>	•		
	Z-Select 4000D	800322-125	2.25"	1.25"							$\checkmark$					
	Z-Select 4000D	800340-305	4.00"	3.00"							<b>V</b>					
	Z-Select 4000D	10001962	3.00"	2.00"						•			<b>\</b>	•		•
	PolyPro 4000D	LD-R7BL5B	2.00"	1.00"								$\checkmark$	•	•	<b>✓</b>	•
	PolyPro 4000D	LD-R2BF5W	2.00"	1.25"						•		$\checkmark$	•	•	<b>✓</b>	•
	Z-Select 4000T	10008548	4.00"	3.00"						$\checkmark$						
	Z-Select 4000T	10008549	4.00"	6.00"						<b>√</b>						
	Z-Select 4000T	84932	3.00"	1.00"							$\checkmark$					
<u>8</u>	Z-Select 4000T 5.0 mil Tag	10008554	4.00"	Cont.						<b>√</b>						
Labels	Z-Select 4000T All-Temp	75261	4.00"	3.00"							<b>V</b>					
fer	Z-Select 4000T All-Temp	82213	4.00''	6.00"							$\checkmark$					
Transfer	Z-Ultimate 4000T	10010073	2.00"	1.25"						<b>√</b>						
Ë	Z-Ultimate 4000T	10008551	3.00"	3.00"						<b>√</b>						
Thermal	PolyPro 4000T	10010074	2.00"	1.25"						<b>√</b>						
The	PolyPro 4000T	10008553	3.00"	3.00"						<b>√</b>						
	PolyPro 4000T	10008424	4.00"	6.00"						<b>√</b>						
	PolyPro 4000T	82414	2.00"	1.00"							$\checkmark$					
	PolyPro 4000T	82413	3.00"	3.00"							$\checkmark$					

Media ideal for your mobile printer, meaning it has a width and outer diameter close to the printer's maximum specifications.

Media compatible with your mobile printer, but the printer can support a larger width and/or outer diameter.



## Mobile Media Reference Guide

This Reference Guide is designed to easily locate the proper media for your printer and application. Further details, including pricing, for each part number are available on the following pages.

	Description	Part Number	Width	Length	Cameo 2	Cameo 3	EM 220	MZ 220	MZ 320	P4T	PA/PT	QL 220	QL 320	QL 420	RW220	RW420
Z-	-Perform 1000D 2.4 mil Receipt	LD-D2PX5E	2.00"	Cont	•	•		$\checkmark$				•	•	•	•	•
Z-	-Perform 1000D 2.4 mil Receipt	LD-D3PX5B	3.00"	Cont		•			<b>√</b>				•	•		•
	-Perform 1000D 2.4 mil Receipt	10006224	4.00"	Cont										<b>✓</b>		$\checkmark$
Receipts Z-	-Perform 1000D 2.4 mil Receipt	800398-004	4.00"	Cont			0				<b>√</b>					
g Z-	-Select 3000D 2.3 mil Receipt	10007748	4.00"	Cont										<b>✓</b>		$\overline{}$
庭 Z-	-Select 4000D 3.2 mil Receipt	LD-R2KH5B	2.00"	Cont	<b>\</b>	•				•		<b>✓</b>	•	•	<b>✓</b>	•
Direct Thermal	-Select 4000D 3.2 mil Receipt	LD-R3KX5B	3.00"	Cont		<b>✓</b>				•			<	•		•
⊢ চ	-Select 4000D 3.2 mil Receipt	LD-R4KN5B	4.00"	Cont						<b>\</b>				<b>✓</b>		$\checkmark$
Z-	-Select 4000D 3.2 mil Receipt	LD-D2KV5E	2.00"	Cont	•	•		$\checkmark$		•		•	•	•	•	•
	-Select 4000D 3.2 mil Receipt	LD-D3KV5B	3.00"	Cont		•			<b>✓</b>	•			•	•		•
Z-	-Select 4000D 3.2 mil Receipt	10008899	2.25"	Cont			<b>√</b>									
80	000D 3.2 mil High-Temp Receipt	10001965	4.00"	Cont										<b>✓</b>		$\checkmark$
	000D Linerless*	LD-R2LS5W	2.00"	Cont								<b>√</b>	•	•		
80	000D Linerless*	LD-R3LF7Q	3.00"	Cont			13						$\checkmark$	•	do.	
Linerless	000D Linerless*	LD-R4LF5P	4.00"	Cont										<b>✓</b>		
80	000D Linerless Removable*	LD-H3LF7V	3.00"	Cont									<b>√</b>	•		

<sup>\*</sup> Requires linerless roller

Media ideal for your mobile printer, meaning it has a width and outer diameter close to the printer's maximum specifications. Media compatible with your mobile printer, but the printer can support a larger width and/or outer diameter.



## **Mobile Printers**

#### Z-Perform 1000D

0.75" ID 2" OD

Refer to page 25 for printer compatibility

	Size						
Width	x	Length	Part #	Labels Per Roll	Rolls Per Carton	Carton Weight	Stock MTO
2	Х	1	LD-R7MU5P	350	36	7 lbs.	Stock
2	Х	1.25	LD-R2AL5B	280	36	7 lbs.	Stock
2	Х	2	LD-R7AO5B	185	36	7 lbs.	Stock
2	Х	3	LD-R7AM5R	125	36	8 lbs.	Stock

Labels are equipped with black mark sensing

#### 0.75" ID 2.5" OD

#### Refer to page 25 for printer compatibility

	Size						
Width	x	Length	Part #	Labels Per Roll	Rolls Per Carton	Carton Weight	Stock MTO
2.90	Х	1	LD-R3TU5B	575	36	14 lbs.	Stock
4	Х	2	LD-R2AQ5J*	300	36	23 lbs.	Stock
4	Х	3	LD-R6AO5B*	200	36	23 lbs.	Stock
4	Х	4	LD-R3AK5B*	160	36	24 lbs.	Stock
4	Х	6	LD-R4AW5B*	105	36	24 lbs.	Stock

Labels are equipped with black mark sensing \* Perforation between labels

#### **Z-Perform 2000D**

0.75" ID 2.5" OD

Refer to page 25 for printer compatibility

	Size						
Width	х	Length	Part #	Labels Per Roll	Rolls Per Carton	Carton Weight	Stock MTO
2.94	Х	4.94	LD-R6AD5W	130	36	18 lbs.	Stock
3	Х	1.75	LD-R3AT5F*	350	36	18 lbs.	Stock

Labels are equipped with black mark sensing \* Perforation between labels

### Z-Select 4000D

1" ID 2" OD

Refer to page 25 for printer compatibility

	Size						
Width	X	Length	Part #	Labels Per Roll	Rolls Per Carton	Carton Weight	Stock MTO
2.25	Х	1.25	800322-125*	260	12	2 lbs.	Stock
4	Х	3	800340-305*	110	12	4 lbs.	Stock

<sup>\*</sup> Perforation between labels

For information on your printer media specifications, please refer to page 5. Stock - ships within one business day, Made to order - ships within 6 business days.



## **Mobile Printers**

#### Z-Select 4000D

0.75" ID 2.2" OD

Refer to page 25 for printer compatibility

	Size						
Width	Х	Length	Part #	Labels Per Roll	Rolls Per Carton	Carton Weight	Stock MTO
3	Х	2	10001962*	210	36	18 lbs.	Stock

<sup>\*</sup> Perforation between labels Note: PN 1001962 does not have black marks

### PolyPro 4000D

1" ID 2" OD

Refer to page 25 for printer compatibility

Width	Size x	Length	Part #	Labels Per Roll	Rolls Per Carton	Carton Weight	Stock MTO
2	Х	1	LD-R7BL5B	350	36	7 lbs.	Stock
2	Х	1.25	LD-R2BF5W	280	36	8 lbs.	Stock

Labels are equipped with black mark sensing

#### Z-Select 4000T

0.75" ID 2.6" OD

Refer to page 25 for printer compatibility

	Size						
Width	х	Length	Part #	Labels Per Roll	Rolls Per Carton	Carton Weight	Stock MTO
4	Х	3	10008548	210	16	17 lbs.	Stock
4	Х	6	10008549	110	16	17 lbs.	Stock

Labels are equipped with black mark sensing

#### Z-Select 4000T

1" ID 2" OD

Refer to page 25 for printer compatibility

	Size						
Width	X	Length	Part #	Labels Per Roll	Rolls Per Carton	Carton Weight	Stock MTO
3	Χ	1	84932	270	6	2 lbs.	Stock

## Z-Select 4000T 5.0 mil Tag

0.75" ID 2.6" OD

Refer to page 25 for printer compatibility

	Size						
Width	х	Length	Part #	Labels Per Roll	Rolls Per Carton	Carton Weight	Stock MTO
4	Х	70'	10008554	N/A	16	18 lbs.	Stock

For information on your printer media specifications, please refer to page 5. Stock - ships within one business day, Made to order - ships within 6 business days.

Zip Ship - Page 28



## **Mobile Printers**

## **Z-Select 4000T All-Temp**

1" ID 2" OD

Refer to page 25 for printer compatibility

	Size						
Width	x	Length	Part #	Labels Per Roll	Rolls Per Carton	Carton Weight	Stock MTO
4	Х	3	75261	80	12	5 lbs.	Stock
4	Х	6	82213	50	12	5 lbs.	Stock

#### **Z-Ultimate 4000T**

0.75" ID 2.6" OD

Refer to page 25 for printer compatibility

	Size						
Width	X	Length	Part #	Labels Per Roll	Rolls Per Carton	Carton Weight	Stock MTO
2	Х	1.25	10010073	520	12	12 lbs.	Stock
3	Х	3	10008551	230	12	16 lbs.	Stock

Labels are equipped with black mark sensing

## PolyPro 4000T

0.75" ID 2.6" OD

Refer to page 25 for printer compatibility

MI		Size						
2 v 1.25 10010074 380 12 12 be Str	Width	X	Length	Part #	Labels Per Roll	Rolls Per Carton	Carton Weight	Stock MTO
Z X 1.25 10010074 500 12 12 105. Sit	2	Х	1.25	10010074	380	12	12 lbs.	Stock
3 x 3 10008553^^ 170 16 16 lbs. Sto	3	Х	3	10008553^^	170	16	16 lbs.	Stock
4 x 6 10008424 80 36 36 lbs. Sto	4	Х	6	10008424	80	36	36 lbs.	Stock

<sup>^</sup> Labels are equipped with black mark sensing

## PolyPro 4000T

1" ID 2" OD

Refer to page 25 for printer compatibility

	Size						
Width	X	Length	Part #	Labels Per Roll	Rolls Per Carton	Carton Weight	Stock MTO
2	Х	1	82414	260	12	3 lbs.	Stock
3	Х	3	82413	90	12	5 lbs.	Stock

For information on your printer media specifications, please refer to page 5. Stock - ships within one business day, Made to order - ships within 6 business days.

Note: PN 10008424 does not have black mark sensing



### **Mobile Printers**

## Z-Perform 1000D 2.4 mil Receipt (7 years archivability)

0.75" ID 1.8" OD

Refer to page 26 for printer compatibility

Width	X	Length	Part #	Length	Rolls Per Carton	Carton Weight	Stock MTO
2	Х	Cont.	LD-D2PX5E	66'	36	9 lbs.	Stock
3	Х	Cont.	LD-D3PX5B	66'	36	13 lbs.	Stock
0.75" ID 2.2	25" OD				Refer to page	e 26 for printer	compatibility
Width	Size x	Length	Part #	Length	Rolls Per Carton	Carton Weight	Stock

Width	X	Length	Part #	Length	Rolls Per Carton	Carton Weight	Stock MTO
4	Х	Cont.	10006224	100'	36	13 lbs.	Stock
1" ID 2" OD					Refer to page	e 26 for printer	compatibility
	Size						

4	X	Cont.	800398-004	75'	12	5 lbs.	MTO Stock
Width	Size x	Length	Part #	Length	Rolls Per Carton	Carton Weight	Stock

### Z-Select 3000D 2.3 mil Receipt (25 years archivability)

0.75" ID 2.25" OD

Refer to page 26 for printer compatibility

	Size						
Width	X	Length	Part #	Length	Rolls Per Carton	Carton Weight	Stock MTO
4	Х	Cont.	10007748	115'	36	13 lbs.	Stock

## Z-Select 4000D 3.2 mil Receipt (25 years archivability)

0.75" ID 2.25" OD

Refer to page 26 for printer compatibility

	Size						
Width	X	Length	Part #	Length	Rolls Per Carton	Carton Weight	Stock MTO
2	Х	Cont.	LD-R2KH5B	81'	36	9 lbs.	Stock
3	Х	Cont.	LD-R3KX5B	81'	36	13 lbs.	Stock
4	Х	Cont.	LD-R4KN5B	81'	36	13 lbs.	Stock
0.75" ID 1.8	8" OD				Refer to page	26 for printer	compatibility

	Size						
Width	x	Length	Part #	Length	Rolls Per Carton	Carton Weight	Stock MTO
2	Х	Cont.	LD-D2KV5E	43'	36	9 lbs	Stock
3	Х	Cont.	LD-D3KV5B	43'	36	13 lbs	Stock
0.40" ID 1	1.57" OD				Refer to page	26 for printer	compatibility

	Size						
Width	X	Length	Part #	Length	Rolls Per Carton	Carton Weight	Stock MTO
2.25	Х	Cont.	10008899	40'	36	9 lbs	Stock

For information on your printer media specifications, please refer to page 5. Stock - ships within one business day, Made to order - ships within 6 business days.

Zip Ship - Page 30



## **Mobile Printers**

## 8000D 3.2 mil High-Temp Receipt (20 years archivability)

0.75" ID 2.25" OD

Refer to page 26 for printer compatibility

	Size						
Width	х	Length	Part #	Length	Rolls Per Carton	Carton Weight	Stock MTO
4	Х	Cont.	10001965	74'	36	7 lbs.	Stock



## **Mobile Printers**

#### 8000D Linerless

(requires linerless roller) 0.75" ID 2.2" OD

Refer to page 26 for printer compatibility

	Size						
Width	X	Length	Part #	Length	Rolls Per Carton	Carton Weight	Stock MTO
2	Х	Cont.	LD-R2LS5W	65'	36	16 lbs.	MTO

1.375" ID 2.50" OD

Refer to page 26 for printer compatibility

	Size						
Width	X	Length	Part #	Length	Rolls Per Carton	Carton Weight	Stock MTO
3	Х	Cont.	LD-R3LF7Q	65'	36	22 lbs.	MTO
0.75" ID 2.5	0" OD				Refer to page	26 for printer	compatibility

		Size						
Width	1 :	Х	Length	Part #	Length	Rolls Per Carton	Carton Weight	Stock MTO
4		Х	Cont.	LD-R4LF5P	85'	20	23 lbs.	MTO

## 8000D Linerless Removable

(Requires linerless roller)

1.375" ID 2.5" OD

Refer to page 26 for printer compatibility

		Size						
Wid	th	X	Length	Part #	Length	Rolls Per Carton	Carton Weight	Stock MTO
3		Χ	Cont.	LD-H3LF7V	65'	36	22 lbs.	Stock



## Wristband Media - Tabletop Printers

## **Z-Band Direct (Next Generation)**

3"ID 8"OD

	Size							
Width	X	Length	Part #	Color	Bands Per Roll	Rolls Per Carton	Carton Weight	Stock MTO
1	Х	6	10003856	White	800	6	9 lbs.	Stock
1	Х	7	10003855	White	700	6	9 lbs.	Stock
1	Х	11	10005007	White	450	6	9 lbs.	Stock
1	Х	11	10003854-1	Red	450	6	9 lbs.	MTO*
1	х	11	10003854-2	Yellow	450	6	9 lbs.	MTO*
1	Х	11	10003854-3	Blue	450	6	9 lbs.	MTO*
1	Х	11	10003854-4	Green	450	6	9 lbs.	MTO*
1	х	11	10003854-6	Orange	450	6	9 lbs.	MTO*
1	Х	11	10003854-5	Pink	450	6	9 lbs.	MTO*
1.25	х	11	10006648	White	450	6	9 lbs.	Stock

All wristband part numbers are perforated \*MTO = 2 carton minimum required

## **Z-Band QuickClip Kit (Direct Thermal)**

3"ID 8"OD

	Size						
Width	Х	Length	Part #	Bands Per Roll	Rolls Per Carton	Kit Weight	Stock MTO
1.1875	Х	11	97890K^	550	6	11 lbs.	Stock
1	Х	7	10004822K*	860	6	15 lbs.	Stock

<sup>\*(1</sup> x 7) Includes 6 rolls of perforated wristbands and 5,220 white clips. Color clips sold separately.

## Color Clips for use with QuickClip Wristbands

Part #	Color	Clips Per Pack	Stock MTO
97032-Red	Red	275	Stock
97032-Blue	Blue	275	Stock
97032-Green	Green	275	Stock
97032-Yellow	Yellow	275	Stock
97032-Pink	Pink	275	Stock
97032-Purple	Purple	275	Stock

<sup>^(1.1875</sup> x 11) Includes 6 rolls of perforated wristbands and 3,480 white clips. Color clips sold separately.



# Wristband Media - Tabletop Printers

## **Z-Band 4000 Wristband Kit (Thermal Transfer)**

3"ID 8"OD

	Size							
Width	Х	Length	Part #	Color	Bands Per Roll	Rolls Per Kit	Carton Weight	Stock MTO
1	Х	11	ZBAND1	White	530	3	6 lbs.	Stock
1	Х	11	ZBANDYELLOW	Yellow	530	3	6 lbs.	Stock
 1	Х	11	ZBANDBLUE	Blue	530	3	6 lbs.	Stock
1	Х	11	ZBANDVOID*	White	530	3	6 lbs.	Stock

Z-Band 4000 Tabletop Wristband kit includes 3 rolls of perforated wristbands and 1 roll of the 5095 ribbon. \*Features "VOID" adhesive



## Wristband Media - Desktop Printers

## **Z-Band Direct (Next Generation)**

1"ID 5"OD

	Size							
Width	х	Length	Part #	Color	Bands Per Roll	Rolls Per Carton	Carton Weight	Stock MTO
0.75	Х	11	10004448	White	200	6	4.8 lbs.	Stock
1	Х	6	10003853	White	350	6	4.8 lbs.	Stock
1	Х	7	10003852	White	300	6	4.8 lbs.	Stock
1	Х	11	10005008	White	200	6	4.8 lbs.	Stock
1	Х	11	10004443-1	Red	200	6	4.8 lbs.	Stock
1	Х	11	10004443-2	Yellow	200	6	4.8 lbs.	Stock
1	Х	11	10004443-3	Blue	200	6	4.8 lbs.	Stock
1	Х	11	10004443-4	Green	200	6	4.8 lbs.	Stock
1	Х	11	10004443-5	Pink	200	6	4.8 lbs.	Stock
1	Х	11	10004443-6	Orange	200	6	4.8 lbs.	Stock
1.25	Х	11	10006647	White	200	6	4.8 lbs.	Stock

All wristband part numbers are perforated

#### **Soft Infant Z-Band Wristbands**

1" ID 4.8" OD

	Size							
Width	Х	Length	Part #		Labels Per Roll	Rolls Per Carton	Carton Weight	Stock MTO
2	Х	7	10007909	Z-Band Direct	275	6	6 lbs.	Stock
2	Х	7	10007910K*	Z-Band Quick Clip	275	6	10 lbs.	Stock

<sup>\*</sup>Kit includes 6 rolls of perforated wristbands and 1,740 white clips. Color clips sold separately.

## **Z-Band QuickClip Kit (Direct Thermal)**

1"ID 5"OD

	Size						
Width	Х	Length	Part #	Bands Per Roll	Rolls Per Kit	Carton Weight	Stock MTO
1.1875	Х	11	97881K^	260	6	11 lbs.	Stock
1	Х	7	10004821K*	390	6	10 lbs.	Stock

<sup>\*(1</sup> x 7) Includes 6 rolls of perforated wristbands and 2,610 white clips. Color clips sold separately.

<sup>^(1.1875</sup> x 11) Includes 6 rolls of perforated wristbands and 1,740 white clips. Color clips sold separately.

# Zebra Zip Ship Media



# Wristband Media - Desktop Printers

# **HC100 Wristband Cartridges**

#### Z-Band Direct Kit

	Size							
Width	X	Length	Part #	Color	Bands Per Roll	Rolls Per Kit	Carton Weight	Stock MTO
0.75	Х	11	10006997K	White	200	6	6 lbs.	Stock
1	Х	6	10006998K	White	350	6	6 lbs.	Stock
1	Х	7	10006999K	White	300	6	6 lbs.	Stock
1	Х	11	10006995K	White	200	6	6 lbs.	Stock
1	Х	11	10006995-1K	Red	200	6	6 lbs.	Stock
1	Х	11	10006995-2K	Blue	200	6	6 lbs.	Stock
1	Х	11	10006995-3K	Green	200	6	6 lbs.	Stock
1	Х	11	10006995-4K	Purple	200	6	6 lbs.	Stock
1	Х	11	10006995-5K	Pink	200	6	6 lbs.	Stock
1	х	11	10006995-6K	Orange	200	6	6 lbs.	Stock
1	Х	11	10006995-7K	Yellow	200	6	6 lbs.	Stock
1.1875	Х	11	10006996K	White	200	6	6 lbs.	Stock

# Z-Band QuickClip Kit

	Size							
Width	х	Length	Part #	Color	Bands Per Roll	Rolls Per Kit	Carton Weight	Stock
								MTO
1	Х	7	10007003K^	White	390	3	6 lbs.	Stock
 1.1875	Х	11	10007000K*	White	260	4	6 lbs.	Stock

QuickClip - Must be ordered in carton quantities.

#### Soft Infant Z-Band Direct Kit

	Size							
Width	Х	Length	Part #	Color	Bands Per Roll	Rolls Per Kit	Carton Weight	Stock MTO
1	Х	7.6875	10007746K	White	275	6	5 lbs.	Stock

## Color Clips for use with QuickClip Wristbands

Part #	Color	Clips Per Pack	Stock MTO
97032-Red	Red	275	Stock
97032-Blue	Blue	275	Stock
97032-Green	Green	275	Stock
97032-Yellow	Yellow	275	Stock
97032-Pink	Pink	275	Stock
97032-Purple	Purple	275	Stock

For information on your printer media specifications, please refer to page 5. Stock - ships within one business day, Made to order - ships within 6 business days.

www.zebra.com

<sup>^(1</sup> x 7) Includes 3 wristband cartridges and 1,450 white clips. Color clips sold separately.

<sup>\*(1.1875</sup> x 11) Includes 4 wristband cartridges and 1,160 white clips. Color clips sold separately.

# Zebra Zip Ship Media



# Wristband Media - Desktop Printers

#### **Z-Band 4000**

1" ID 5" OD

П		Size							
	Width	x	Length	Part #	Color	Bands Per Roll	Rolls Per Carton	Carton Weight	Stock MTO
	1	Х	11	17158	White	300	4	2 lbs.	Stock



#### 2000 Standard

A standard thermal transfer wax ink formulation for printing high-quality, durable bar codes on Zebra's coated paper label stock. This wax ribbon can print at speeds up to 12 inches per second.

A thermal transfer formulation that provides excellent print quality for normal and rotated bar codes on coated and uncoated labels and tags. Its low printhead energy requirements for image transfer make it the ideal choice for high-speed printing, up to 12 inches per second.

#### 5319 Performance

A best-in-class, performance wax ribbon formulated for high-quality printing on both Zebra coated and uncoated paper facestocks. Offers unmatched printing for both visible light and infrared scannability. Recommended for use on tough-to-print uncoated and uneven tag stocks, including Tyvek. Prints at speeds up to 8 inches per second. UL recognized and CSA component acceptable when used with Zebra approved labels.

#### 5049 High Speed Premium

A premium wax ribbon for high-quality printing. Designed for print speeds up to 12 inches per second. UL recognized and CSA component acceptable when used with Zebra approved labels.

#### 5555 Enhanced

A thermal transfer wax/resin ink formulation for printing bar codes on Zebra coated paper. Provides a clear image under harsh conditions. Prints at speeds up to 6 inches per second.

#### 3200 Performance

A special ink formulation for use with Zebra thermal transfer printers. Provides outstanding bar code print quality. Chemical resistant when printed on Zebra paper and synthetic label stocks. Smear- and scratch-resistant, this ribbon offers excellent staying power and durability in harsh environments. UL Recognized and CSA component acceptable when used with Zebra approved

#### 5586 Premium

A premium wax/resin ribbon that provides outstanding print quality in a variety of environmental conditions. Provides outstanding smear and scratch resistance on Zebra paper, many Zebra synthetic materials, a variety of coated paper, and matte synthetics.

#### 4100 Enhanced

An enhanced resin ribbon for printing extremely dense bar codes and high-resolution graphics on a wide variety of materials. Provides excellent edge definition and offers exceptional abrasion and solvent resistance on gloss synthetic label stocks. UL recognized and CSA component acceptable when used with Zebra approved labels

#### 5095 Performance

A performance resin ribbon for printing high-density bar codes and high-resolution graphics on a wide range of materials from matte to gloss synthetics. Offers exceptional print quality, durability and chemical resistance. UL recognized and CSA component acceptable when used with Zebra approved labels.

#### 5100 Premium

A premium resin ribbon for printing images in harsh environments. Provides unparalleled resistance and dense black images. Produces images resistant to the harshest environments. This ribbon is recommended for use with Z-Supreme products in printed circuit board applications. UL recognized and CSA component acceptable when used with Zebra approved labels.

#### 3200 Clean Room

A special ink formulation for use with Zebra thermal transfer printers. Provides outstanding bar code print quality. Chemical resistant when printed on Zebra paper and synthetic label stocks. Smear- and scratch-resistant, this ribbon offers excellent staying power and durability in harsh environments. UL Recognized and CSA Component Acceptable when used with Zebra approved

#### 4000 Clean Room

This thermal transfer resin ribbon is ideal for printing on a wide variety of synthetic substrates. Features special ink formulation on a synthetic core. Provides excellent edge definition and offers exceptional abrasion and solvent resistance. Smear- and scratchresistant, this ribbon offers excellent staying power and durability in harsh environments.

A premium resin ribbon that offers exceptional abrasion and solvent resistance on a wide variety of substrates while still providing excellent edge definition. This ribbon is an excellent choice for printing extremely dense barcodes and high-resolution graphics. Its unique resin base provides excellent resistance to outdoor elements and chemical solvents.

Tyvek is a registered trademark of E.I. du Pont de Nemours and Company

For information on your printer media specifications, please refer to page 5. Stock - ships within one business day, Made to order - ships within 6 business days.



Zebra has the right thermal transfer ribbon for your application. For standard printing on paper labels, Zebra's wax ribbons are unsurpassed for performance and value. When better image durability is required, Zebra's wax/resin ribbons will meet your requirements. For the ultimate in chemical and heat resistance, Zebra's resin ribbons can handle the harshest environments. You can be assured that when used together, our ribbons and labels will provide optimal performance with your Zebra printer and extend the life of your printhead.

Zebra's Zip Ship stocking program includes popular sizes of the most frequently ordered ribbons. Our policy is to ship orders within the next working business day. There is a minimum invoice amount of \$50 per shipment destination (waived for Sample Program orders). Products purchased in less than full inner carton quantities are subject to a \$75 broken carton charge, per destination. For custom sizes, please contact your Zebra Supplies Specialist.

			Zebra	ı ribbo	ns										
Wax		Wax/Resin					Resin								
2000 Standa	rd		5	555 Eı	nhance	ed					4100 E	nha	nced	146 146	
2100 Enhand	3200 Performance						5	095 Pe	rforı	mano	:e				
5319 Performa		5	586 P	remiur	n					5100 F	rem	nium			
5049 High Speed Premium											lmag	e Lo	ck		
Ribbon	Ribbon Material Compatibility			iess S	etting	Prin	t Spee	d			cratch ance			ne mio sista	
			Low		High	Low	ŀ	ligh	Low		High	ı Lo	w		Hig h
2000 Standard	Coated Paper														
2100 Enhanced	Coated Paper														
5319 Performance	Uncoated / Coate	d Paper													
5049 High Speed Premium	Uncoated / Coate	d Paper													
5555 Enhanced	Coated Paper / M Synthetics	atte													
3200 Performance	Coated Paper / M Synthetics	atte													
5586 Premium	Matte synthetics														
4100 Enhanced	Gloss Synthetics														
5095 Performance	Matte / Gloss Syr														
5100 Premium	Gloss Synthetics														



	-		Ri	bbon			
	Printer	Core Size		Max	Length	Ma	x Width
	S600™	1"	25.4mm	1476'	450m	4.5"	114mm
-1000	S4M™	1"	25.4mm	1476'/984'	450m/300m	4.3"	110mm
ers	Z4MPlus™/ZM400™	1"	25.4mm	1476'	450m	4.3"	110mm
int	Z6MPlus™/ZM600™	1"	25.4mm	1476'	450m	6.9"	174mm
Tabletop Printers	105SL™	1"	25.4mm	1476'/984'	450m/300m	4.5"	114mm
do	2746e™	1"	25.4mm	1183'	360m	4.3"	110mm
olet	110XiIIIPIus™	1"	25.4mm	1476'/984'	450m/300m	4.3"	110mm
Tak	140Xi∥IPIus™	1"	25.4mm	1476'/984'	450m/300m	5.1"	130mm
	170XillIPlus™	1"	25.4mm	1476'/984'	450m/300m	6.7"	170mm
i.e	220Xi∥IPIus™	1"	25.4mm	1476'/984'	450m/300m	8.6"	220mm
	LP 2824™	Direct Thermal		N/A	N/A	N/A	N/A
	LP 2824-Z™	Direct Thermal		N/A	N/A	N/A	N/A
	TLP 2824™	0.5"	12.7mm	244'	74m	2.2"	58mm
S	TLP 2824-Z™	0.5"	12.7mm	244'	74m	2.2"	58mm
ıte	GX420/430™	0.5"	12.7mm	244'	74m	4.3"	110mm
Desktop Printers	GK420™	0.5"	12.7mm	244'	74m	4.3"	110mm
ď	LP 2844™	Direct Thermal		N/A	N/A	N/A	N/A
<b>k</b> tc	LP 2844-Z™	Direct Thermal		N/A	N/A	N/A	N/A
sə	TLP 2844™	0.5"	12.7mm	2900"	74m	4.3"	110mm
	TLP 2844-Z™	0.5"	12.7mm	244'	74m	4.3"	110mm
	TLP 3842 ™	0.5"	12.7mm	244'	74m	4.3"	110mm
	TLP 3844-Z™	0.5"	12.7mm	244'	74m	4.3"	110mm
	H 2824-Z™	Direct Thermal		N/A	N/A	N/A	N/A
	Cameo® 2	Direct Thermal		N/A	N/A	N/A	N/A
	Carrieo® 2  Cameo® 3	Direct Thermal		N/A	N/A	N/A	N/A
	QL 220™	Direct Thermal		N/A	N/A	N/A	N/A
	QL 220 Plus™	Direct Thermal		N/A	N/A	N/A	N/A
	QL 320™	Direct Thermal		N/A	N/A	N/A	N/A
	QL 320 Plus™	Direct Thermal		N/A	N/A	N/A	N/A
	QL 420™	Direct Thermal		N/A	N/A	N/A	N/A
ıteı	QL 420 Plus™	Direct Thermal		N/A	N/A	N/A	N/A
ri	MZ 220™	Direct Thermal		N/A	N/A	N/A	N/A
9	MZ 320™	Direct Thermal		N/A	N/A	N/A	N/A
Mobile Printers	RW 220 ™	Direct Thermal		N/A	N/A	N/A	N/A
Me	RW 420™	Direct Thermal		N/A	N/A	N/A	N/A
	PT400™	Snap-in ribbon cartridge		52'	16m	4.3"	110mm
	PT403™	Snap-in ribbon cartridge		52'	16m	4.3"	110mm
	P4T™	Snap-in ribbon cartridge		98.4'	30m	4.3"	110mm
	EM220™	Direct Thermal		N/A	N/A	N/A	N/A
	PA403™	Direct Thermal		N/A	N/A	N/A	N/A
	PS 2122™	Direct Thermal		N/A	N/A	N/A	N/A
	R110Xi™	1"	25.4mm	1476'	450m	4.3"	110mm
	R170Xi™	1"	25.4mm	1476'	450m	6.7"	110mm
	R-140™	1"	25.4mm	1476'	450m	5.1"	110mm
ers	R402™	0.5"	12.7mm	244'	74m	4.3"	110mm
int	R110PAX3™	1"	25.4mm	2995'	900m	4.3"	110mm
P	R 2844-Z™	0.5"	12.7mm	244'	74m	4.3"	110mm
ılty	R4Mplus™	1"	25.4mm	1476'	450m	4.3"	110mm
icia Scia	110PAX4™	1"	25.4mm	2995'	900m	4.3"	110mm
Specialty Printers	170PAX4™	1"	25.4mm	2995'	900m	7.1"	180mm
U)	RP4T™	Snap-in ribbon cartridge		98.4'	30m	4.3"	110mm

For information on your printer media specifications, please refer to page 5. Stock - ships within one business day, Made to order - ships within 6 business days.



# **Tabletop Wax Ribbons**

2000

Length: 1,476 ft. (450m) Core: 1" ID

Width (Inches)	Width (mm)	Quantity Per Carton	Quantity Per Outer Box	Part #	Outer Box Weight	Stock MTO
1.57"	40mm	24	24	02000BK04045	12 lbs.	Stock
2.36"	60mm	24	24	02000BK06045	23 lbs.	Stock
3.27"	83mm	24	24	02000BK08345	24 lbs.	Stock
3.50"	89mm	24	24	02000BK08945	25 lbs.	Stock
4.02"	102mm	24	24	02000BK10245	26 lbs.	Stock
4.16"	106mm	24	24	02000BK10645	30 lbs.	Stock
4.33"	110mm	24	24	02000BK11045	32 lbs.	Stock
5.16"	131mm	24	24	02000BK13145	36 lbs.	Stock
6.16"	156mm	24	24	02000BK15645	24 lbs.	Stock
6.85"	174mm	12	12	02000BK17445	25 lbs.	Stock
8.66"	220mm	12	12	02000BK22045	30 lbs.	Stock

#### 2100

Length: 1,476 ft. (450m) Core: 1" ID

Width (Inches)	Width (mm)	Quantity Per Carton	Quantity Per Outer Box	Part #	Outer Box Weight	Stock MTO
1.57"	40mm	24	24	02100BK04045	14 lbs.	Stock
2.36"	60mm	24	24	02100BK06045	23 lbs.	Stock
3.15"	80mm	24	24	02100BK08045	24 lbs.	Stock
3.50"	89mm	24	24	02100BK08945	25 lbs.	Stock
4.02"	102mm	24	24	02100BK10245	29 lbs.	Stock
4.16"	106mm	24	24	02100BK10645	30 lbs.	Stock
4.33"	110mm	24	24	02100BK11045	31 lbs.	Stock
5.16"	131mm	24	24	02100BK13145	34 lbs.	Stock
6.16"	156mm	12	12	02100BK15645	23 lbs.	Stock
6.85"	174mm	12	12	02100BK17445	25 lbs.	Stock
8.66"	220mm	12	12	02100BK22045	30 lbs.	Stock

www.zebra.com



# **Tabletop Wax Ribbons**

5319

Length: 1,476 ft. (450m) Core: 1" ID

Width (Inches)	Width (mm)	Quantity Per Carton	Quantity Per Outer Box	Part #	Outer Box Weight	Stock MTO
0.94"	24mm	6	24	05319BK02445	14 lbs.	Stock
1.57"	40mm	6	24	05319BK04045	23 lbs.	Stock
2.36"	60mm	6	24	05319BK06045	24 lbs.	Stock
3.27"	83mm	6	24	05319BK08345	24 lbs.	Stock
3.50"	89mm	6	24	05319BK08945	28 lbs.	Stock
4.02"	102mm	6	24	05319BK10245	29 lbs.	Stock
4.33"	110mm	6	24	05319BK11045	30 lbs.	Stock
5.16"	131mm	6	24	05319BK13145	38 lbs.	Stock
6.06"	154mm	6	12	05319BK15445	25 lbs.	Stock
6.85"	174mm	6	12	05319BK17445	27 lbs.	Stock
8.66"	220mm	6	12	05319BK22045	30 lbs.	Stock

#### 5049

Width (Inches)	Width (mm)	Quantity Per Carton	Quantity Per Outer Box	Part #	Outer Box Weight	Stock MTO
0.94"	24mm	6	24	05049BK02445	14 lbs.	Stock
1.57"	40mm	6	24	05049BK04045	18 lbs.	Stock
2.36"	60mm	6	24	05049BK06045	23 lbs.	Stock
3.27"	83mm	6	24	05049BK08345	24 lbs.	Stock
3.50"	89mm	6	24	05049BK08945	28 lbs.	Stock
4.02"	102mm	6	24	05049BK10245	29 lbs.	Stock
4.33"	110mm	6	24	05049BK11045	30 lbs.	Stock
5.16"	131mm	6	24	05049BK13145	38 lbs.	Stock
6.06"	154mm	6	12	05049BK15445	25 lbs.	Stock
6.85"	174mm	6	12	05049BK17445	25 lbs.	Stock
8.66"	220mm	6	12	05049BK22045	27 lbs.	Stock



# Tabletop Wax/Resin Ribbons

5555

Length: 1,476 ft. (450m) Core: 1" ID

Width (Inches)	Width (mm)	Quantity Per Carton	Quantity Per Outer Box	Part #	Outer Box Weight	Stock MTO
0.94"	24mm	6	24	05555BK02445	14 lbs.	Stock
1.57"	40mm	6	24	05555BK04045	16 lbs.	Stock
2.36"	60mm	6	24	05555BK06045	23 lbs.	Stock
3.27"	83mm	6	24	05555BK08345	22 lbs.	Stock
3.50"	89mm	6	24	05555BK08945	25 lbs.	Stock
4.33"	110mm	6	24	05555BK11045	27 lbs.	Stock
5.16"	131mm	6	24	05555BK13145	34 lbs.	Stock
6.06"	154mm	6	12	05555BK15445	25 lbs.	Stock
6.85"	174mm	6	12	05555BK17445	25 lbs.	Stock
8.66"	220mm	6	12	05555BK22045	27 lbs.	Stock

3200

Length: 1,476 ft. (450m) Core: 1" ID

Width (Inches)	Width (mm)	Quantity Per	Quantity Per	Part #	Outer Box	Stock MTO
		Carton	Outer Box		Weight	
1.57"	40mm	6	24	03200BK04045	12 lbs.	Stock
2.36"	60mm	6	24	03200BK06045	23 lbs.	Stock
3.15"	80mm	6	24	03200BK08045	24 lbs.	Stock
3.50"	89mm	6	24	03200BK08945	25 lbs.	Stock
4.02"	102mm	6	24	03200BK10245	29 lbs.	Stock
4.33"	110mm	6	24	03200BK11045	32 lbs.	Stock
5.16"	131mm	6	24	03200BK13145	36 lbs.	Stock
6.16"	156mm	6	12	03200BK15645	23 lbs.	Stock
6.85"	174mm	6	12	03200BK17445	25lbs.	Stock
8.66"	220mm	6	12	03200BK22045	30 lbs.	Stock

#### 5586

Length: 1,476 ft. (450m) Core: 1" ID

Width (Inches)	Width (mm)	Quantity Per Carton	Quantity Per Outer Box	Part #	Outer Box Weight	Stock MTO
1.57"	40mm	6	24	05586BK04045	16 lbs.	Stock
2.36"	60mm	6	24	05586BK06045	23 lbs.	Stock
3.27"	83mm	6	24	05586BK08345	24 lbs.	Stock
3.50"	89mm	6	24	05586BK08945	25 lbs.	Stock
4.02"	102mm	6	24	05586BK10245	29 lbs.	Stock
4.33"	110mm	6	24	05586BK11045	27 lbs.	Stock
5.16"	131mm	6	24	05586BK13145	34 lbs.	Stock
6.06"	154mm	6	12	05586BK15445	25 lbs.	Stock
6.85"	174mm	6	12	05586BK17445	25 lbs.	Stock
8.66"	220mm	6	12	05586BK22045	27 lbs.	Stock

For information on your printer media specifications, please refer to page 5. Stock - ships within one business day, Made to order - ships within 6 business days.

Zip Ship - Page 43



# **Tabletop Resin Ribbons**

#### 4100

Length: 1,476 ft. (450m) Core: 1" ID

Width (Inches)	Width (mm)	Quantity Per Carton	Quantity Per Outer Box	Part #	Outer Box Weight	Stock MTO
1.57"	40mm	6	24	04100BK04045	12 lbs.	Stock
2.36"	60mm	6	24	04100BK06045	23 lbs.	Stock
3.15"	80mm	6	24	04100BK08045	24 lbs.	Stock
4.33"	110mm	6	24	04100BK11045	32 lbs.	Stock
5.16"	131mm	6	24	04100BK13145	36 lbs.	Stock
6.16"	156mm	6	12	04100BK15645	23 lbs.	Stock
6.85"	174mm	6	12	04100BK17445	25 lbs.	Stock

#### 5095

Length: 1,476 ft. (450m) Core: 1" ID

Width (Inches)	Width (mm)	Quantity Per Carton	Quantity Per Outer Box	Part #	Outer Box Weight	Stock MTO
1.57"	40mm	6	24	05095BK04045	16 lbs.	Stock
2.36"	60mm	6	24	05095BK06045	23 lbs.	Stock
3.27"	83mm	6	24	05095BK08345	22 lbs.	Stock
3.50"	89mm	6	24	05095BK08945	25 lbs.	Stock
4.33"	110mm	6	24	05095BK11045	27 lbs.	Stock
5.16"	131mm	6	24	05095BK13145	34 lbs.	Stock
6.06"	154mm	6	12	05095BK15445	25 lbs.	Stock
6.85"	174mm	6	12	05095BK17445	25 lbs.	Stock
8.66"	220mm	6	12	05095BK22045	27 lbs.	Stock

#### 5100

Width (Inches)	Width (mm)	Quantity Per Carton	Quantity Per Outer Box	Part #	Outer Box Weight	Stock MTO
1.57"	40mm	6	24	05100BK04045	16 lbs.	Stock
2.36"	60mm	6	24	05100BK06045	23 lbs.	Stock
3.27"	83mm	6	24	05100BK08345	22 lbs.	Stock
3.50"	89mm	6	24	05100BK08945	25 lbs.	Stock
4.33"	110mm	6	24	05100BK11045	27 lbs.	Stock
5.16"	131mm	6	24	05100BK13145	34 lbs.	Stock
6.06"	154mm	6	12	05100BK15445	25 lbs.	Stock
6.85"	174mm	6	12	05100BK17445	25 lbs.	Stock
8.66"	220mm	6	12	05100BK22045	27 lbs.	Stock



# **Tabletop Resin Ribbons**

# **Image Lock Resin Ribbon**

To be used with 8000T Image Lock or Z-Xtreme 5000T Media

Length: 984 ft. (300m) Core: 1" ID

Width (inches)	Width (mm)	Quantity Per Carton	Quantity Per Outer Box	Part #	Outer Box Weight	Stock MTO
1.57"	40mm	6	6	74775*	10 lbs.	MTO
2.36"	60mm	6	6	74776*	19 lbs.	MTO
3.15"	80mm	6	6	74777*	20 lbs.	MTO
3.94"	100mm	6	6	74778*	26 lbs.	MTO

<sup>\*</sup> Delivery in 2-4 weeks Note: Minimum Order – 6 rolls

# **Nylon Resin Ribbon**

To be used with 8000T Nylon Tags

Width (inches)	Width (mm)	Quantity Per Carton	Quantity Per Outer Box	Part #	Outer Box Weight	Stock MTO
1.57"	40mm	6	24	74935*	23 lbs.	MTO
2.36"	60mm	6	24	74936*	24 lbs.	MTO
3.15"	80mm	6	24	74937*	24 lbs.	MTO

<sup>\*</sup> Delivery in 2 weeks Note: Minimum Order – 48 rolls



# **Tabletop Wax Ribbons**

## For use with 2746e printer

5319 Wax Ribbons

Length: 1,187 ft. (362m) Core: 1" ID

Width (Inches)	Width (mm)	Quantity Per Carton	Quantity Per Outer Box	Part #	Outer Box Weight	Stock MTO
2.50"	64mm	6	24	800010-002	4.5 lbs.	Stock
3.30"	84mm	6	24	800010-003	5.5 lbs.	Stock
4.33"	110mm	6	24	800010-004	6.5 lbs.	Stock

Note: Minimum Order - 24 rolls

# Tabletop Wax/Resin Ribbons

## For use with 2746e printer

3200 Wax/Resin Ribbons

Length: 1,187 ft. (362m) Core: 1" ID

Width (Inches)	Width (mm)	Quantity Per Carton	Quantity Per Outer Box	Part #	Outer Box Weight	Stock MTO
2.50"	64mm	6	36	800011-002	4.5 lbs.	Stock
3.30"	84mm	6	36	800011-003	5.5 lbs.	Stock
4.33"	110mm	6	36	800011-004	6.5 lbs.	Stock

# Tabletop Resin Ribbons

#### For use with 2746e printer

5095 Resin Ribbons

Length: 1,187 ft. (362m) Core: 1" ID

Width (Inches)	Width (mm)	Quantity Per Carton	Quantity Per Outer Box	Part #	Outer Box Weight	Stock MTO
4.33"	110mm	6	24	800005-004	6.5 lbs.	Stock



# **Tabletop Color Wax Ribbons**

5319

Width (Inches)	Width (mm)	Quantity Per Carton	Quantity Per Outer Box	Part #	Color/ PMS	Outer Box Weight	Stock MTO
2.36"	60mm	6	24	05319BL06045	Blue 286C	23 lbs.	Stock
2.36"	60mm	6	24	05319RD06045	Red 186C	23 lbs.	Stock
2.36"	60mm	6	24	05319MN06045	Maroon 194C	23 lbs.	Stock
2.36"	60mm	6	24	05319GN06045	Green 340C	23 lbs.	Stock
4.33"	110mm	6	24	05319BL11045	Blue 286C	23 lbs.	Stock
4.33"	110mm	6	24	05319RD11045	Red 186C	23 lbs.	Stock
4.33"	110mm	6	24	05319MN11045	Maroon 194C	23 lbs.	Stock
4.33"	110mm	6	24	05319GN11045	Green 340C	23 lbs.	Stock



# **Desktop Wax Ribbons**

## For use with all desktop printers

5319 Wax Ribbons

Length: 244 ft. (74m) Core: 0.5" ID

Width (Inches)	Width (mm)	Quantity Per Carton	Quantity Per Outer Box	Part #	Outer Box Weight	Stock MTO
2.50"	64mm	12	48	05319GS06407	3.5 lbs.	Stock
3.30"	84mm	12	48	05319GS08407	4.5 lbs.	Stock
4.33"	110mm	12	48	05319GS11007	5.5 lbs.	Stock

# Desktop Wax/Resin Ribbons

#### For use with all desktop printers

3200 Wax/Resin Ribbons

Length: 244 ft. (74m) Core: 0.5" ID

Width (Inches)	Width (mm)	Quantity Per Carton	Quantity Per Outer Box	Part #	Outer Box Weight	Stock MTO
2.50"	64mm	12	12	03200GS06407	3.5 lbs.	Stock
3.30"	84mm	12	12	03200GS08407	4.5 lbs.	Stock
4.33"	110mm	12	12	03200GS11007	5.5 lbs.	Stock

#### 5586 Wax/Resin Ribbons

Length: 244 ft. (74m) Core: 0.5" ID

Width (Inches)	Width (mm)	Quantity Per Carton	Quantity Per Outer Box	Part#	Outer Box Weight	Stock MTO
2.50"	64mm	12	48	05586GS06407	3.5 lbs.	Stock
3.30"	84mm	12	48	05586GS08407	4.5 lbs.	Stock
4.33"	110mm	12	48	05586GS11007	5.5 lbs.	Stock

# Desktop Resin Ribbons

#### For use with all desktop printers

5095 Resin Ribbons

Length: 244 ft. (74m) Core: 0.5" ID

Width (Inches)	Width (mm)	Quantity Per Carton	Quantity Per Outer Box	Part#	Outer Box Weight	Stock MTO
2.50"	64mm	12	48	05095GS06407	3.5 lbs.	Stock
3.30"	84mm	12	48	05095GS08407	4.5 lbs.	Stock
4.33"	110mm	12	48	05095GS11007	5.5 lbs.	Stock

For information on your printer media specifications, please refer to page 5. Stock - ships within one business day, Made to order - ships within 6 business days.



# Desktop Resin Ribbons

# For use with all desktop printers

5100 Resin Ribbons

Length: 244 ft. (74m) Core: 0.5" ID

Width (Inches)	Width (mm)	Quantity Per Carton	Quantity Per Outer Box	Part #	Outer Box Weight	Stock MTO
2.50"	64mm	12	48	05100GS06407*	3.5 lbs.	MTO
3.30"	84mm	12	48	05100GS08407*	4.5 lbs.	MTO
4.33"	110mm	12	48	05100GS11007*	5.5 lbs.	MTO

<sup>\*</sup> Delivery in 2 weeks



# **Desktop Ribbons**

# **Image Lock Resin Ribbon**

To be used with 8000T Image Lock or Z-Xtreme 5000T Media

Length: 244 ft. (74m) Core: 0.5" ID

Width (inches)	Width (mm)	Quantity Per Carton	Quantity Per Outer Box	Part#	Carton Weight (outer)	Stock MTO
2.50"	64mm	12	48	74941*	3 lbs.	MTO
3.30"	84mm	12	48	74942*	3.5 lbs.	MTO
4.33"	110mm	12	48	74943*	4.5 lbs.	MTO

<sup>\*</sup> Delivery in 2 weeks Note: Minimum Order – 12 rolls

# **Nylon Resin Ribbon**

To be used with 8000T Nylon Tags

Length: 244 ft. (74m) Core: 0.5" ID

	Width (inches)	Width (mm)	Quantity Per Carton	Quantity Per Outer Box	Part #	Carton Weight (outer)	Stock MTO	
_	1.57"	40mm	48	48	74938*	3 lbs.	MTO	_
	2.36"	60mm	48	48	74939*	3.5 lbs.	MTO	
	3.15"	80mm	48	48	74940*	4.5 lbs.	MTO	_

<sup>\*</sup> Delivery in 2 weeks Note: Minimum Order - 48 rolls



# **Desktop Ribbons**

## For use with TLP 2824 printer

5319 Wax Ribbons

Length: 244 ft. (74m) Core: 0.5" (12.7mm) ID

Width (Inches)	Width (mm)	Quantity Per Carton	Quantity Per Outer Box	Part #	Outer Box Weight	Stock MTO
1.30"	33mm	12	48	800132-001	2.5 lbs.	Stock
2.25"	56.9mm	12	48	800132-002	3 lbs.	Stock

#### 3200 Wax/Resin Ribbons

Length: 244 ft. (74m) Core: 0.5" (12.7mm) ID

Width (Inches)	Width (mm)	Quantity Per Carton	Quantity Per Outer Box	Part #	Outer Box Weight	Stock MTO
1.30"	33mm	12	12	800132-101	2.5 lbs.	Stock
2.25"	56.9mm	12	12	800132-102	3 lbs.	Stock

#### 5095 Resin Ribbons

Length: 244 ft. (74m) Core: 0.5" (12.7mm) ID

Width (Inches)	Width (mm)	Quantity Per Carton	Quantity Per Outer Box	Part #	Outer Box Weight	Stock MTO
1.30"	33mm	12	48	800132-201	2.5 lbs.	Stock
2.25"	56.9mm	12	48	800132-202	3 lbs.	Stock

#### 5100 Resin Ribbons

Length: 244 ft. (74m) Core: 0.5" (12.7mm) ID

Width (Inches)	Width (mm)	Quantity Per Carton	Quantity Per Outer Box	Part#	Outer Box Weight	Stock MTO
1.30"	33mm	12	48	05100NT03307	2.5 lbs.	Stock
2.25"	56.9mm	12	48	05100NT05707	3 lbs.	Stock

NT: No Reflective Trailer



# Mobile Ribbons

#### For use with the PT 400 and PT 403 printers

#### 5555 Wax/Resin Ribbon

Length: 52 ft. (16m) There is a 2:1 usage ratio for labels to ribbons

Width (Inches)	Width (mm)	Quantity Per Carton	Quantity Per Outer Box	Part #	Outer Box Weight	Stock MTO
4.33"	110mm	10	10	05555BK110C	1lb.	Stock

#### 5100 Resin Ribbon

Length: 52 ft. (16m) There is a 2:1 usage ratio for labels to ribbons

Width (Inches)	Width	Quantity	Quantity	Part #	Outer	Stock
	(mm)	Per	Per		Box	MTO
		Carton	Outer Box		Weight	
4.33"	110mm	10	10	05100BK110C	1lb.	Stock

## For use with the P4T and RP4T printers

#### 5095 Resin Ribbon

Width (Inches)	Width (mm)	Quantity Per	Quantity Per	Part #	Outer Box	Stock MTO
		Carton	Outer Box		Weight	
4.33"	110mm	10	10	05095BK110D	2 lbs.	Stock

#### 5555 Wax/Resin Ribbon

Width (Inches)	Width (mm)	Quantity Per Carton	Quantity Per Outer Box	Part #	Outer Box Weight	Stock MTO
4.33"	110mm	10	10	05555BK110D	2 lbs.	Stock



# **Specialty Printer Ribbons**

# For use with the PAX3 and PAX4 printers

2100 Wax Ribbons

Length: 2,955 ft. (900m)

Width (Inches)	Width (mm)	Quantity Per Carton	Quantity Per Outer Box	Part #	Outer Box Weight	Stock MTO
2.36"	60mm	6	12	02100BK06090	15 lbs.	Stock
3.15"	80mm	6	12	02100BK08090	20 lbs.	Stock
4.33"	110mm	6	12	02100BK11090	30 lbs.	Stock
5.16"	131mm	6	12	02100BK13190	33 lbs.	Stock
6.16"	156mm	6	12	02100BK15690	39 lbs.	Stock
6.85"	174mm	6	12	02100BK17490	44 lbs.	Stock

5049 Wax Ribbons

Length: 2,955 ft. (900m)

Width (Inches)	Width (mm)	Quantity Per Carton	Quantity Per Outer Box	Part #	Outer Box Weight	Stock MTO
2.36"	60mm	36	36	05049BK06090	45 lbs.	Stock
3.27"	83mm	24	24	05049BK08390	40 lbs.	Stock
4.33"	110mm	12	12	05049BK11090	30 lbs.	Stock
5.16"	131mm	12	12	05049BK13190	33 lbs.	Stock
6.06"	154mm	12	12	05049BK15490	39 lbs.	Stock
6.85"	174mm	12	12	05049BK17490	44 lbs.	Stock



# Cleanroom Ribbons

#### 3200 Performance

Wax/Resin

Length: 1,476 feet (450m) Plastic Core: 1" ID

Width (Inches)	Width (mm)	Quantity Per Carton	Quantity Per Outer Box	Part #	Outer Box Weight	Stock MTO
1.57"	40mm	24	24	03200CR04045	12 lbs.	Stock
2.36"	60mm	24	24	03200CR06045	18 lbs.	Stock
3.15"	80mm	24	24	03200CR08045	24 lbs.	Stock
3.50"	89mm	24	24	03200CR08945	25 lbs.	Stock
4.33"	110mm	24	24	03200CR11045	27 lbs.	Stock

#### 4000 Enhanced

Resin

Length: 1,476 feet (450m) Plastic Core: 1" ID

Width (Inches)	Width (mm)	Quantity Per Carton	Quantity Per Outer Box	Part #	Outer Box Weight	Stock MTO
1.57"	40mm	24	24	04000CR04045	12 lbs.	Stock
2.36"	60mm	24	24	04000CR06045	18 lbs.	Stock
3.15"	80mm	24	24	04000CR08045	24 lbs.	Stock
3.50"	89mm	24	24	04000CR08945	25 lbs.	Stock
4.33"	110mm	24	24	04000CR11045	27 lbs.	Stock



# JUST LIKE THE CD REPLACED THE RECORD, THIS WILL REPLACE LASER WRISTBANDING.

Zebra introduces the revolutionary HC100™ Patient I.D. Solution. It's designed to be the easiest, fastest, most efficient and economical wristbanding solution ever invented. Now your hospital staff can produce and attach a long-lasting, antimicrobial thermal wristband in just two steps.

No wasted time with the cumbersome wristband assembly many laser solutions require. No jammed laser printers. No toner. No ribbon. It's that simple. For more information, visit us at www.zebra.com/hchi or call +1 800 423 0442.

